



## Test Report

No.T31920290258SC

Date: OCT 18, 2019

Page 1 of 7

BIC GRAPHIC  
14421 MYERLAKE CIRCLE  
CLEARWATER PINELLAS  
FL 33760 UNITED STATES

The following samples were submitted and identified on behalf of the client as:

KOOZIE® ROWDY FANNY PACK KOOLER

SGS Case No. : CA319202903159  
Item No. : 16113  
Test Request Form No. : 3360\_HK  
Quantity Submitted : 3 PCS OF 3 STYLES  
Manufacturer Date : 2019  
Shipment Order No. : 7089619  
Country of Origin : CHINA  
Country of Destination : CANADA, UNITED STATES  
Sample Receiving Date : OCT 03, 2019  
Test Performing Date : OCT 03 - 09, 2019

Test Requested		Conclusion
1.	US California Proposition 65 – Lead content	PASS
2.	US California Proposition 65, CPSIA section 108 and US 16 CFR Part 1307 – Phthalates content	PASS
3.	CPSIA section 101(f)(1), US 16 CFR 1303 and US California Proposition 65 (Superior Court of California – County of Alameda Case No. RG07356892) – Lead in paint/similar surface coating material	PASS
4.	Canada Consumer Product Safety Act (S.C. 2010, c. 21), Toys Regulations (SOR/2011-17) amended up to January 11, 2019 (Including amendments SOR/2012-71, SOR/2016-195, SOR/2016-302 and SOR/2018-138) - Section 23 (a) and Section 23 (c) - Lead and Mercury in surface coating material	PASS
5.	US FDA 21 CFR 177.1350 (Ethylene-Vinyl Acetate Copolymer) – Determination of Amount of Net Chloroform Soluble Extractives	PASS

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS Hong Kong Limited | Laboratory: 1/F, 3/F, 4/F & 5/F, On Wui Centre, 25 Lok Yip Road, On Lok Tsuen, Fanling, New Territories, Hong Kong | [www.sgs.com](http://www.sgs.com)  
Office: Units 303 & 305, 3/F, Building 22E, Phase 3, HK Science Park, New Territories, Hong Kong | t (852) 2334 4481 | f (852) 2764 3126 | e [mktg.hk@sgs.com](mailto:mktg.hk@sgs.com)

Member of the SGS Group (SGS SA)





**Test Report**

No.T31920290258SC

Date: OCT 18, 2019

Page 2 of 7

Conclusion	:	PASS	X
		FAIL	
		INCONCLUSIVE	

\*\*\*\*\* FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) \*\*\*\*\*

Signed for and on behalf of  
SGS Hong Kong Ltd.

Che Wai Leuk, Jerry  
Technical Manager

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Test Results:**

**1. US California Proposition 65 –Lead Content**

Method (non-metallic materials): With reference to CPSC-CH-E1002-08.3 - Standard Operation Procedure for Determining Total Lead (Pb) in Non-Metal Children Product

Method (metal materials): With reference to CPSC-CH-E1001-08.3 - Standard Operating Procedure for Determining Total Lead (Pb) in Children’s Metal Products (Including Children’s Metal Jewelry)

Test Item(s)	Lead (Pb)
Specimen Description	Result(s) (ppm)
1. Silvery metal (Zipper puller) (#10-16113 Black metal zipper puller)	ND
2. Red fabric w/ Red soft plastic backing (Body) (#1-16113 Red 600D polyester with PVC backing main fabric)	13
3. Royal fabric w/ blue soft plastic backing (Body) (#2-16113 Royal 600D polyester with PVC backing main fabric)	ND
4. Charcoal fabric w/ dull grey soft plastic backing (Body) (#3-16113 Charcoal 600D polyester with PVC backing main fabric)	ND
5. Dull red fabric w/ black printing (Side of body) (#4-16113 Dull red 300D duotone polyester)	ND
6. Dk. Blue fabric w/ blue printing (Side of body) (#5-16113 Dark blue 300D duotone polyester)	ND
7. Gray fabric w/ white printing (Side of body) (#6-16113 Gray 300D duotone polyester)	ND
8. Black fabric (Lining of front pocket) (#7-16113 Black 210D polyester inner lining in front pocket)	ND
9. Black fabric (Strap) (#8-16113 Black polyester webbing strap)	ND
10. White plastic (Zipper) (#9-16113 White polyester zipper)	ND
11. Black plastic (Puller) (#11-16113 Black PP plastic puller)	ND
12. Silver soft plastic (Lining of body) (#12-16113 Silvery logo PEVA liner)	ND

- Note:
- ppm = parts per million
  - ND = Not Detected (lower than MDL)
  - MDL = Method Detection Limit =10 ppm
  - 1% = 10000mg/kg=10000ppm

**Remark: 1. Material information of the sample is provided by the client.**

**2.Summary of reference limit(s) of Lead requirement:**

Requirement(s)	Reference Limit of Lead (ppm)	
California Proposition 65 (County of Marin Case No. CIV 1104003)	Paint and surface coating	90
	All other materials	100

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company’s findings at the time of its intervention only and within the limits of Client’s instructions, if any. The Company’s sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**2. US California Proposition 65, CPSIA section 108 and US 16 CFR Part 1307 - Phthalates Content**

Method: With reference to CPSC-CH-C1001-09.3

Analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS)

Test Item(s)	CAS No.	Result(s) (ppm)		MDL (ppm)
Specimen No.	--	1	2	
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	30
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	30
Bis-(2-ethylhexyl) Phthalate (DEHP)	117-81-7	ND	ND	30
Diisodecyl Phthalate (DIDP)	26761-40-0 / 68515-49-1	ND	ND	100
Di-n-Hexyl phthalate (DHEXP / DnHP)	84-75-3	ND	ND	30
Di-n-octyl Phthalate (DNOP)	117-84-0	ND	ND	30
Diisononyl Phthalate (DINP)	28553-12-0 / 68515-48-0	ND	ND	100
Diiso butyl phthalate (DIBP)	84-69-5	ND	40	30
Dipentyl phthalate (DnPP/ DPENP)	131-18-0	ND	ND	30
Dicyclohexyl phthalate (DCHP)	84-61-7	ND	ND	30

Test Item(s)	CAS No.	Result(s) (ppm)		MDL (ppm)
Specimen No.	--	3	4	
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	30
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	30
Bis-(2-ethylhexyl) Phthalate (DEHP)	117-81-7	ND	ND	30
Diisodecyl Phthalate (DIDP)	26761-40-0 / 68515-49-1	ND	ND	100
Di-n-Hexyl phthalate (DHEXP / DnHP)	84-75-3	ND	ND	30
Di-n-octyl Phthalate (DNOP)	117-84-0	ND	ND	30
Diisononyl Phthalate (DINP)	28553-12-0 / 68515-48-0	ND	ND	100
Diiso butyl phthalate (DIBP)	84-69-5	ND	ND	30
Dipentyl phthalate (DnPP/ DPENP)	131-18-0	ND	ND	30
Dicyclohexyl phthalate (DCHP)	84-61-7	ND	ND	30

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Specimen Description:

1. Red fabric w/ Red soft plastic backing (Body) (#1-16113 Red 600D polyester with PVC backing main fabric)
2. Royal fabric w/ blue soft plastic backing (Body) (#2-16113 Royal 600D polyester with PVC backing main fabric)
3. Charcoal fabric w/ dull grey soft plastic backing (Body) (#3-16113 Charcoal 600D polyester with PVC backing main fabric)
4. Silver soft plastic (Lining of body) (#12-16113 Silvery logo PEVA liner)

- Note:
- ppm = parts per million
  - MDL = Method Detection Limit
  - ND = Not Detected (lower than MDL)

**Summary of Reference Limit of Requirement(s):**

Requirement(s)	Reference Limit
California Proposition 65 (ACSC Case No. BG07350969)	≤ 1000 ppm for each of DBP, BBP, DEHP, DIDP and DnHP
CPSIA section 108	≤ 1000 ppm for each of DEHP, DBP, BBP, DINP, DIDP, DNOP
US 16 CFR Part 1307	≤ 1000 ppm for each of DEHP, DBP, BBP, DINP, DCHP, DHEXP / DnHP, DIBP, DnPP/ DPENP

Remark: Material information of the sample is provided by the client.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**3. CPSIA section 101(f)(1), US 16 CFR 1303 and US California Proposition 65 (Superior Court of California – County of Alameda Case No. RG07356892) – Lead in paint/similar surface coating material**

Method : CPSC Test Method: CPSC-CH-E1003-09.1 ‘Standard Operation Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings’

Test Item	Result (%)	Reporting Limit (%)	Permissible Limit (%)
	1		
Lead (Pb)	ND	0.002	0.009
Comment	PASS	--	--

Sample Description :

1. Black coating on metal (On zipper puller) (#10-16113 Black metal zipper puller)

Note: - % = percentage by weight  
 - 1% = 10000 mg/kg  
 - ND = Not Detected

Remark: Material information of the sample is provided by the client.

**4. Canada Consumer Product Safety Act (S.C. 2010, c. 21), Toys Regulations (SOR/2011-17) amended up to January 11, 2019 (Including amendments SOR/2012-71, SOR/2016-195, SOR/2016-302 and SOR/2018-138) - Section 23 (a) and Section 23 (c) - Lead and Mercury in surface coating material**

Method: With reference to Canada Health Product Safety Bureau, Reference Manual Book 5 – Laboratory Policies and Procedures, Part B: Test Methods Section, Method C-02.2:2017 and C-07:2018

Test Item(s)	Pb	Hg
Permissible Limit (mg/kg)	90	ND
Specimen Description	Result(s) (mg/kg)	
1. Black coating on metal (On zipper puller) (#10-16113 Black metal zipper puller)	ND	ND

Note: - mg/kg = milligram per kilogram  
 - ND = Not Detected (lower than MDL)  
 - MDL = Method Detection Limit  
 - MDL for Pb = 10 mg/kg  
 - MDL for Hg = 10 mg/kg  
 - The action level of Mercury is 10 mg/kg according to the Industry guide to Health Canada’s Safety Requirements for Children’s Toys and Related Products, 2012

Remark: Material information of the sample is provided by the client.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company’s findings at the time of its intervention only and within the limits of Client’s instructions, if any. The Company’s sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**5. US FDA 21 CFR 177.1350 (Ethylene-Vinyl Acetate Copolymer) – Determination of Amount of Net Chloroform Soluble Extractives**

Method : With reference to US FDA 21 CFR 177.1350 and 21 CFR 176.170 (c).

Extractants	Test Condition	Result (mg/inch <sup>2</sup> )	Reporting Limit (mg/inch <sup>2</sup> )	Permissible Limit (mg/inch <sup>2</sup> )
		1		
Distilled Water	120°F for 24 hours	ND	0.2	0.5
<b>Comment</b>	--	PASS	--	--

Sample Description :

1. Silvery Plastic (Liner) (#12-16113 Silver logo PEVA liner)

Note : 1. mg/inch<sup>2</sup> = milligram per square inch  
 2. °F = degrees Fahrenheit  
 3. ND = Not Detected

**Sample Photo:**



SGS authenticate the photo on original report only

\*\*\* End of Report \*\*\*

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.