



Test Report

No.T32120300872TC

Date: OCT 13, 2021

Page 1 of 8

IMAGEN BRANDS

401 US HWY 160 DONIPHAN, MO 63935, UNITED STATES

The following samples were submitted and identified by/on behalf of the client as:

STADIUM BLANKET BLACK

Item No. : STADBLKT
Manufacture Date : 2021
Shipment order number : DP00040231
Country of Origin : CHINA
Country of Destination : CANADA, UNITED STATES
Labeled Age Grading : 0+
Sample Receiving Date : SEP 27, 2021
Testing Period : SEP 27, 2021 TO OCT 13, 2021

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



| Test Requested | | Conclusion |
|----------------|--|--------------------------------|
| 1. | CPSIA section 101 - Total Lead content (Selected test items as specified by the applicant, please refer to test result page(s) for details) | -- |
| 1.1 | CPSIA section 101(f) (1) – Lead in paint/similar surface coating material | NOT APPLICABLE (SEE REMARK) |
| 1.2 | CPSIA section 101(a) (2) – Lead in accessible substrate materials (Including Children’s Metal Jewelry) | PASS |
| 2. | US 16 CFR Part 1307 – Phthalates (Selected test items as specified by the applicant, please refer to test result page(s) for details) | PASS |
| 3. | US California Proposition 65 (County of Marin Case No. CIV 1104003) – Lead Content in the specified specimen(s) as listed | PASS |
| | Client’s Requirement – Lead Content in the specified specimen(s) as listed | PASS |
| 4. | US California Proposition 65 (County of Marin Case No CIV 1902124) – Phthalates Content in the specified specimen(s) as listed | PASS |
| | Client’s Requirement – Phthalates Content in the specified specimen(s) as listed | PASS |
| 5. | Flammability of Blankets (ASTM D4151- 18) | SEE RESULT |

Remark : There were no surface coating found in the said submitted sample.

***** FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) *****

Signed for and on behalf of
SGS Hong Kong Ltd.



To Man Wah, Po
Technical Manager

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company’s findings at the time of its intervention only and within the limits of Client’s instructions, if any. The Company’s sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Results:

1.2 CPSIA - Lead in Accessible Substrate Materials

Method (non-metallic materials): With reference to CPSC-CH-E1002-08.3 - Standard Operation Procedure for Determining Total Lead (Pb) in Non-Metal Children Product

| Test Item(s) | Lead (Pb) |
|--|--------------------|
| Permissible Limit ** (ppm) | 100 |
| Specimen Description | Result(s) (ppm) |
| 1. Black plush (Body) (#STADBLKT 1 Black 100% POLYESTER FLEECE ROLLED BLANKET) | ND |
| 2. Black fabric w/ black plastic sheet backing (Flap cover) (#STADBLKT 2 Black 600D polyester oxford FLAP COVER) | ND |
| 3. Black wove band (Carrying strap) (#STADBLKT 3 Black polyester CARRYING STAP) | ND |

** Permissible Limit applies to a children's product manufactured after 14 August 2011 (Public Law 110-314 (Consumer Product Safety Improvement Act of 2008) and its Amendments Public Law 112-28)

- Note:
- ppm = parts per million
 - ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit = 10 ppm
 - 1% = 10000 mg/kg = 10000 ppm

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

2. US 16 CFR Part 1307 – Phthalates Content

Method: With reference to CPSC-CH-C1001-09.4

Analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS)

| Test Item(s) Specimen No. | CAS No. | Result (s) (%) | | MDL (%) | Permissible Limit (%) |
|---|--------------------------|----------------|-------|---------|-----------------------|
| | | 1 | 2 | | |
| Dibutyl Phthalate (DBP) | 84-74-2 | ND | ND | 0.003 | 0.1 |
| Benzylbutyl Phthalate (BBP) | 85-68-7 | ND | ND | 0.003 | 0.1 |
| Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP) | 117-81-7 | ND | 0.009 | 0.003 | 0.1 |
| Diisononyl Phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | 0.010 | 0.1 |
| Di-n-Hexyl phthalate (DHP/DnHP/DHEXP) | 84-75-3 | ND | ND | 0.003 | 0.1 |
| Diisobutyl phthalate (DIBP) | 84-69-5 | ND | ND | 0.003 | 0.1 |
| Di-n-pentyl phthalate(DPP/DPEP/DPENP) | 131-18-0 | ND | ND | 0.003 | 0.1 |
| Dicyclohexyl phthalate (DCHP) | 84-61-7 | ND | ND | 0.003 | 0.1 |

Specimen Description:

1. Black plush (Body) (#STADBLKT 1 Black 100% POLYESTER FLEECE ROLLED BLANKET)
2. Black fabric w/ black plastic sheet backing (Flap cover) (#STADBLKT 2 Black 600D polyester oxford FLAP COVER)

- Note:
- % = percentage by weight
 - ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit
 - 1% = 10000 mg/kg = 10000 ppm

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

3. US California Proposition 65 – Total Lead Content

Method (non-metallic materials): With reference to CPSC-CH-E1002-08.3 - Standard Operation Procedure for Determining Total Lead (Pb) in Non-Metal Children Product

Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)

| Test Item(s) | Lead (Pb) |
|--|-----------------|
| Specimen Description | Result(s) (ppm) |
| 1. Black plush (Body) (#STADBLKT 1 Black 100% POLYESTER FLEECE ROLLED BLANKET) | ND |
| 2. Black fabric w/ black plastic sheet backing (Flap cover) (#STADBLKT 2 Black 600D polyester oxford FLAP COVER) | ND |
| 3. Black wove band (Carrying strap) (#STADBLKT 3 Black polyester CARRYING STAP) | ND |

- Note:
- ppm = parts per million
 - ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit =10 ppm
 - 1% = 10000mg/kg=10000ppm

Remark: Summary of permissible limit(s) of Lead requirement otherwise warning label required.

| Requirement(s) | Permissible Limit of Lead (ppm) | Effective Date |
|--|---------------------------------|----------------|
| California Proposition 65 (County of Marin Case No. CIV 1104003) | Paint and surface coating | Current |
| | All other materials | Current |
| Client's Limit | 100 | Current |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

4. California Prop 65 - Phthalates Content

Method: With reference to CPSC-CH-C1001-09.4

Analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS)

| Test Item(s) Specimen No. | CAS No. | Result(s) (%) | | MDL (%) |
|---|------------|---------------|-------|---------|
| | | 1 | 2 | |
| Dibutyl phthalate (DBP) | 84-74-2 | ND | ND | 0.003 |
| Benzyl butyl phthalate (BBP) | 85-68-7 | ND | ND | 0.003 |
| Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP) | 117-81-7 | ND | 0.009 | 0.003 |
| Di-"isononyl" phthalate (DINP) | 68515-48-0 | ND | ND | 0.010 |
| Di-"isodecyl" phthalate (DIDP) | 26761-40-0 | ND | ND | 0.010 |
| Di-n-Hexyl phthalate (DHP/DnHP/DHEXP) | 84-75-3 | ND | ND | 0.003 |

Specimen Description:

1. Black plush (Body) (#STADBLKT 1 Black 100% POLYESTER FLEECE ROLLED BLANKET)
2. Black fabric w/ black plastic sheet backing (Flap cover) (#STADBLKT 2 Black 600D polyester oxford FLAP COVER)

- Note:
- % = percentage by weight
 - MDL = Method Detection Limit
 - ND = Not Detected (lower than MDL)
 - 1% = 10000 mg/kg = 10000 ppm

Summary of Permissible Limit of Requirement(s) otherwise warning label required:

| Requirement(s) | Permissible Limit |
|--|--|
| California Proposition 65 (County of Marin Case No CIV 1902124) | |
| - Textile bedding product, including, but not limited to Mattress Pads (all sizes), Bed Sets (all sizes), Fleece Blanket (all sizes), and any pillow cases, bed sheets, bed skirts, throws, shams, quilts, comforters, pillows, blankets, and similar bedding products. - Vinyl/PVC or plastic product packaging or storage and display cases/bags for bedding products | ≤ 0.1% each of DEHP, BBP, DBP, DIDP, DINP and DnHP |
| Client's requirement | |
| Client's requirement | ≤ 0.1% each of DEHP, BBP, DBP, DIDP, DINP and DnHP |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



5. Flammability of Blankets (ASTM D4151- 18)

Test results

| | <u>Specimen</u> | <u>Burning, charring, and discoloration of paper monitor</u> |
|-------------|-----------------|--|
| Face | 1 | No |
| | 2 | No |
| | 3 | No |
| | 4 | No |
| | 5 | No |
| Back | 1 | No |
| | 2 | No |
| | 3 | No |
| | 4 | No |
| | 5 | No |

Sample Color : (A)Stadium blanket black

Remark

Gas used: Methane
Flame application time: 1 second

Comment

The submitted sample complies with the Class I requirement.

Note

Class I: If none of the paper monitors burn, char, or become discolored after exposing the specimens to the ignition source, the material is classified as Class I.

Class I textiles are generally considered by the trade as having no unusual burning characteristics and acceptable for use in manufacturing blankets.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Remark:

When statement of conformity is made, unless the decision rule was mentioned in above specified test items, the decision rule would be based on the non-binary statement with guard band (is equal to the expanded measurement uncertainty with a 95% coverage probability, $w = U_{95}$) in ILAC-G8:09/2019 Clause 4.2.3.

“Pass - the measured value is within (or below / above) the acceptance limit, where the acceptance limit is below / above to the guard band.” or “Pass - The measured values were observed in tolerance at the points tested. The specific false accept risk is up to 2.5%.”

“Fail - the measured value is out of (or below / above) the tolerance limit added / subtracted to the guard band.” or “Fail - One or more measured values were observed out of tolerance at the points tested”. The specific false reject risk is up to 2.5%.

“Inconclusive – It is not possible to state the conformity. Either one or more measured values were observed in the portion of the expanded measurement uncertainty intervals at the points tested where the specific risk is up to 50%.”



SGS authenticate the photo on original report only

*** End of Report ***

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.