

SPEC SHEET + MEASUREMENTS



CornerStone® Workwear Pro Long Sleeve Pocket Tee. CS440LSP

Product photo



You call in a pro when the job requires it. And that's exactly what you get with the Workwear Pro line. Dependable, long-lasting and built for the hardest work, these high-performance tees handle it all—at a great price.

- 5-ounce, 100% polyester
- Snag-proof
- Moisture-wicking
- Odor-fighting
- Chlorine-resistant
- UPF rating of 30
- Reinforced triple-needle stitching at shoulders and armholes
- Left chest pocket with integrated pen pocket
- Rib knit cuffs
- Drop tail hem
- Tear-away label
- Rental-friendly

Sketches



front



back

Care Instructions Machine Wash Cold With Like Colors. Do Not Use Fabric Softener. Only Non-Chlorine Bleach, When Needed. Tumble Dry Low. Remove Promptly. Cool Iron, If Needed.

SPEC SHEET + MEASUREMENTS



CornerStone[®] Workwear Pro Long Sleeve Pocket Tee.
CS440LSP

PRODUCT MEASUREMENTS

	XS	S	M	L	XL	2XL	3XL	4XL
Body Length at Back	29	30	31	32	33	34	34 1/2	35
Chest	19	20 1/2	22	23 1/2	25	26 1/2	28 1/2	30 1/2
Sleeve Length from Center Back	34 1/8	34 3/4	35 3/8	36	36 5/8	37 1/4	38	38 3/4
Pocket Height	5 3/4	5 3/4	6	6	6	6	6	6 1/4
Pocket Width	4 3/4	4 3/4	5	5	5	5	5	5 1/4

Body Length at Back: Measured from high point shoulder to finished hem at back.

Chest: Measured across the chest one inch below armhole when laid flat.

Sleeve Length from Center Back: Measure from Center Back neck to shoulder point to sleeve hem.

Pocket Height: Measure from top to bottom at center.

Pocket Width: Measure from side to side at top edge.

SPEC SHEET + MEASUREMENTS




CornerStone® Workwear Pro Long Sleeve Pocket Tee.
CS440LSP

SIZE CHARTS

	XS	S	M	L	XL	2XL	3XL	4XL
Chest	32-34	35-37	38-40	41-43	44-46	47-49	50-53	54-57

HOW TO MEASURE



CHEST WIDTH

Measure under the arm and around the fullest part of the chest with arms down, keeping tape horizontal.

COLORS



Black
PMS BLACK
C



Light Grey
PMS COOL
GRAY 6C



Metal Grey
PMS 425C



Navy
PMS 532C



Royal
PMS 654C



Safety Orange



Safety Yellow