

SPEC SHEET + MEASUREMENTS

PORT AUTHORITY

Port Authority® Tall SuperPro™ Twill Shirt. TS663

Product photo



A heavy hitter in performance, our SuperPro Twill Shirt easily resists wrinkles while releasing stains. Designed for comfort, this versatile shirt functions well in almost any work environment—from the office to food service.

- 3.4-ounce, 55/45 cotton/poly
- Button-down collar
- Back shoulder pleats
- Dyed-to-match buttons
- Left chest pocket
- Rounded adjustable cuffs

CARE INSTRUCTIONS

Machine wash cold with like colors. Only non-chlorine bleach when needed. Tumble dry low. Warm iron if needed

Sketches



front



back

SPEC SHEET + MEASUREMENTS

PORT AUTHORITY

Port Authority® Tall SuperPro™ Twill Shirt. TS663

PRODUCT MEASUREMENTS

	LT	XLT	2XLT	3XLT	4XLT
Chest	24 1/2	26	27 1/2	29 1/2	31 1/2
Body Length at Back	35	36	37	37 1/2	38
Sleeve Length	37 1/2	38 1/4	39	39 3/4	40 1/2
Pocket Height	5 5/8	5 5/8	5 5/8	5 5/8	5 5/8
Pocket Width	5 1/8	5 1/8	5 1/8	5 1/8	5 1/8
Neck	18	19	20	21	22

Chest: Measured across the chest one inch below armhole when laid flat.

Body Length at Back: Measured from high point shoulder to finished hem at back.

Sleeve Length: Start at center of neck and measure down shoulder, down sleeve to hem.

Pocket Height: Measure from top to bottom at center.

Pocket Width: Measure from side to side at top edge.

Neck: Measured from center of button to center of buttonhole.

SPEC SHEET + MEASUREMENTS


PORT AUTHORITY

Port Authority® Tall SuperPro™ Twill Shirt. TS663

SIZE CHARTS

	LT	XLT	2XLT	3XLT	4XLT
Chest	41-43	44-46	47-49	50-53	54-57
Neck	18	19	20	21	22
Arm	36 1/2	38	39	40	41

HOW TO MEASURE



Neck Measure around the fullest part of the neck at the base.
Chest Width Measure under the arm and around the fullest part of the chest with arms down, keeping tape horizontal. **Arm** Place hand on hip. Start at the center of the back of the neck and measure across the shoulder, to the elbow, and then down to the wrist.

COLORS



Black
PMS BLACK
C



Sterling Grey



True Blue
PMS 654C