

## Test report

24H-000977(A16)



Verify Report

## Overall result

**PASS**

Please refer to the following pages for test result summary and notes.

## Client information

Client: Imagen Brands  
Address: 401 US Hwy 160  
Doniphan  
MO 63935  
United States



## Sample information

Description: Fun-On-The-Go-Game - Table Tennis	Test request form no.: 2724I
Assortment: -	Labeled age grade: -
Item no.: VOUT048	Requested age grade: 3+
Shipment order no.: DP48048	Tested age grade: over 3 years of age
Country of origin: China	
Country of distribution: Canada, United States	
Quantity submitted: 4 pcs	

## General information

Sample receipt date: 28-Feb-2024	Report date: 18-Apr-2024
Testing period: 04-Mar-2024 to 19-Mar-2024	
21-Mar-2024 to 22-Mar-2024	
15-Apr-2024 to 16-Apr-2024	

QIMA Testing (HK) Limited



Simon Kwan Chung Man  
Manager, Chemical Laboratory

QIMA Testing (HK) Limited



Christy Yu Miu Kau  
Assistant Manager, Physical Laboratory

The test(s) reported herein is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



Verify Report



## Result summary

At the request of the client, the following test were conducted:

Test(s) conducted	Conclusion
CPSIA Section 106 & ASTM F963-17 Toy Safety, Clause 4.3.5 Soluble Elements in Substrate Materials	PASS
CPSIA Section 101, Total Lead in Substrate Materials	PASS
California Proposition 65, Total Lead in Substrate Materials	PASS
Canadian Consumer Products Containing Lead Regulations (SOR/2018-83), Total Lead Content	PASS
California Proposition 65, Total Cadmium in Substrate Materials	PASS
16 CFR 1307 Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates (DBP, BBP, DEHP, DINP, DHEXP / DnHP, DCHP, DIBP, DPENP)	PASS
California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP)	PASS
Canadian Phthalates Regulations SOR/2016-188, Phthalates (DBP, BBP, DEHP, DnOP, DINP, DIDP) in Mouthable Vinyl Materials	PASS
Client's Requirement, Phthalate Content (DBP, BBP, DEHP, DnOP, DINP, DIDP)	PASS
Model Toxics in Packaging Legislation of the Toxics in Packaging Clearinghouse (TPCH)	PASS
CPSIA Section 106 <sup>#</sup> , Mandatory Toy Safety Standard ASTM F963-17, Mechanical Hazards (Excluding Section 5,6,7)	PASS
16 CFR 1500, Federal Hazardous Substances Act (FHSA), Mechanical Hazards	
16 CFR 1500.44 and ASTM F963-17, Section 4.2, Flammability of Solids	PASS
19 CFR 134.11–Country of Origin–Labeling Review <sup>#</sup>	PASS
CPSIA Section 103-Children's Products-Labeling Review (Tracking Labels) <sup>#</sup>	PASS
Canadian Toy Regulations SOR/2011-17 as amended, Mechanical Hazards Requirements	PASS
Canadian Toy Regulations SOR/2011-17 as Amended, Item 21 Celluloid or Cellulose Nitrate	PASS
Marking of Imported Goods Order, (C.R.C., c.535), Country of Origin <sup>#</sup>	PASS
EPA TSCA Title VI-Composite Wood-Finished Good Labeling <sup>#</sup>	PASS



Verify Report



## Detailed results

### CPSIA Section 106 & ASTM F963-17 Toy Safety, Clause 4.3.5 Soluble Elements in Substrate Materials

Test Method: ASTM F963-17 Clause 8.3.5  
Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry and/or Inductively Coupled Plasma-Mass Spectrometry

#### Substrate Materials Other than Modeling Clay

Specimen No.	18	33	34	35	44	Soluble Limit (ppm)
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	
Soluble Antimony (Sb)	ND	ND	ND	ND	ND	60
Soluble Arsenic (As)	ND	ND	ND	ND	ND	25
Soluble Barium (Ba)	ND	ND	ND	5	ND	1000
Soluble Cadmium (Cd)	ND	ND	ND	ND	ND	75
Soluble Chromium (Cr)	ND	ND	ND	ND	ND	60
Soluble Lead (Pb)	ND	ND	ND	ND	ND	90
Soluble Mercury (Hg)	ND	ND	ND	ND	ND	60
Soluble Selenium (Se)	ND	ND	ND	ND	ND	500
<b>Conclusion</b>	PASS	PASS	PASS	PASS	PASS	

**Note:**  
ppm (Parts per million) = mg/kg (Milligrams per kilogram)  
LT = Less than  
ND = Not detected (Reporting Limit = 5 ppm)  
Results are adjusted according to ASTM F963-17 Toy Safety, Section 8.3.4.3. Materials are deemed to conform with the requirements if the adjusted analytical result for the migrated element is less than or equal to the permissible limit. The decision rule for stating conformity is based on ASTM F963-17 Toy Safety.

Analytical correction								
Soluble Element(s)	Sb	As	Ba	Cd	Cr	Pb	Hg	Se
Analytical Correction (%)	60	60	30	30	30	30	50	60





## Detailed results

### CPSIA Section 106 & ASTM F963-17 Toy Safety, Clause 4.3.5 Soluble Elements in Substrate Materials

Test Method: ASTM F963-17 Clause 8.3.5  
Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry and/or Inductively Coupled Plasma-Mass Spectrometry

#### Substrate Materials Other than Modeling Clay

Specimen No.	47	48	49	52	57	Soluble Limit (ppm)
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	
Soluble Antimony (Sb)	ND	ND	ND	ND	ND	60
Soluble Arsenic (As)	ND	ND	ND	ND	ND	25
Soluble Barium (Ba)	ND	ND	ND	ND	ND	1000
Soluble Cadmium (Cd)	ND	ND	ND	ND	ND	75
Soluble Chromium (Cr)	ND	ND	ND	ND	ND	60
Soluble Lead (Pb)	ND	ND	ND	ND	ND	90
Soluble Mercury (Hg)	ND	ND	ND	ND	ND	60
Soluble Selenium (Se)	ND	ND	ND	ND	ND	500
<b>Conclusion</b>	PASS	PASS	PASS	PASS	PASS	

**Note:**  
ppm (Parts per million) = mg/kg (Milligrams per kilogram)  
LT = Less than  
ND = Not detected (Reporting Limit = 5 ppm)  
Results are adjusted according to ASTM F963-17 Toy Safety, Section 8.3.4.3. Materials are deemed to conform with the requirements if the adjusted analytical result for the migrated element is less than or equal to the permissible limit. The decision rule for stating conformity is based on ASTM F963-17 Toy Safety.

Analytical correction								
Soluble Element(s)	Sb	As	Ba	Cd	Cr	Pb	Hg	Se
Analytical Correction (%)	60	60	30	30	30	30	50	60





## Detailed results

### CPSIA Section 106 & ASTM F963-17 Toy Safety, Clause 4.3.5 Soluble Elements in Substrate Materials

Test Method: ASTM F963-17 Clause 8.3.5  
Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry and/or Inductively Coupled Plasma-Mass Spectrometry

#### Substrate Materials Other than Modeling Clay

Specimen No.	74	75	---	---	---	Soluble Limit (ppm)
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	
Soluble Antimony (Sb)	ND	ND	---	---	---	60
Soluble Arsenic (As)	ND	ND	---	---	---	25
Soluble Barium (Ba)	ND	ND	---	---	---	1000
Soluble Cadmium (Cd)	ND	ND	---	---	---	75
Soluble Chromium (Cr)	ND	ND	---	---	---	60
Soluble Lead (Pb)	ND	ND	---	---	---	90
Soluble Mercury (Hg)	ND	ND	---	---	---	60
Soluble Selenium (Se)	ND	ND	---	---	---	500
<b>Conclusion</b>	PASS	PASS	---	---	---	

**Note:**  
ppm (Parts per million) = mg/kg (Milligrams per kilogram)  
LT = Less than  
ND = Not detected (Reporting Limit = 5 ppm)  
Results are adjusted according to ASTM F963-17 Toy Safety, Section 8.3.4.3. Materials are deemed to conform with the requirements if the adjusted analytical result for the migrated element is less than or equal to the permissible limit. The decision rule for stating conformity is based on ASTM F963-17 Toy Safety.

Analytical correction								
Soluble Element(s)	Sb	As	Ba	Cd	Cr	Pb	Hg	Se
Analytical Correction (%)	60	60	30	30	30	30	50	60





## Specimen description

Specimen #	Specimen description	Location
18	Black non-woven with black thread	Pouch/ sewing (COUT022/ VOUT008/ VOUT009/ VOUT011/ VOUT013/ VOUT014/ VOUT036/ VOUT048 styles)
33	Off white plastic	Table tennis balls (VOUT048 style)
34	Matt red plastic	Adjustable lever of clamps of table tennis net (VOUT048 style)
35	Light blue plastic	Holders of table tennis net (VOUT048 style)
44	Off black PVC	Clamps/ top of holder of table tennis net (VOUT048 style)
47	Sharp red soft plastic with white textile backing with adhesive	Sealing tape of paddle rim (VOUT048 style)
48	Red soft plastic with white foam backing with adhesive	Pad of paddle board (VOUT048 style)
49	Matt black soft plastic with white foam backing with adhesive	Pad of paddle board (VOUT048 style)
52	Bright brown plywood	Paddle board (VOUT036/ VOUT048 styles)
57	Off black knitted textile	Drawstring of pouch (COUT022/ VOUT008/ VOUT009/ VOUT011/ VOUT036/ VOUT048 styles); Strap of zipper puller of bag (VOUT001/ VOUT002 styles)
74	Dull white textile with soft white thread	Trimming of table tennis net/ sewing (VOUT048 style)
75	Dull black net textile	Table tennis net (VOUT048 style)





## Detailed results

### CPSIA Section 101 & 16 CFR 1303, California Proposition 65 and Canadian Consumer Products Containing Lead Regulations (SOR/2018-83), Total Lead Content

Test Method: CPSC-CH-E1001-08.3 (Metal), CPSC-CH-E1002-08.3 (Non-Metal)  
Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	18	33	34	35	44	47
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)
Total Lead (Pb)	ND	ND	ND	ND	ND	ND
<b>Conclusion</b>	PASS	PASS	PASS	PASS	PASS	PASS

Specimen No.	48	49	52	56	57	74
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)
Total Lead (Pb)	ND	ND	ND	ND	ND	ND
<b>Conclusion</b>	PASS	PASS	PASS	PASS	PASS	PASS

Specimen No.	75	---	---	---	---	---
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)
Total Lead (Pb)	ND	---	---	---	---	---
<b>Conclusion</b>	PASS	---	---	---	---	---

**Note:**

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 10 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

**Remark:**

The specification is quoted from client's requirement.

**Summary of Requirement:**

Requirement	Limit
CPSIA Section 101, Total Lead in Substrate Materials	100 ppm
California Proposition 65, Total Lead in Substrate Materials	100 ppm
Canadian Consumer Products Containing Lead Regulations (SOR/2018-83), Total Lead Content	90 mg/kg





## Specimen description

Specimen #	Specimen description	Location
18	Black non-woven with black thread	Pouch/ sewing (COUT022/ VOUT008/ VOUT009/ VOUT011/ VOUT013/ VOUT014/ VOUT036/ VOUT048 styles)
33	Off white plastic	Table tennis balls (VOUT048 style)
34	Matt red plastic	Adjustable lever of clamps of table tennis net (VOUT048 style)
35	Light blue plastic	Holders of table tennis net (VOUT048 style)
44	Off black PVC	Clamps/ top of holder of table tennis net (VOUT048 style)
47	Sharp red soft plastic with white textile backing with adhesive	Sealing tape of paddle rim (VOUT048 style)
48	Red soft plastic with white foam backing with adhesive	Pad of paddle board (VOUT048 style)
49	Matt black soft plastic with white foam backing with adhesive	Pad of paddle board (VOUT048 style)
52	Bright brown plywood	Paddle board (VOUT036/ VOUT048 styles)
56	Brown natural wood	Wooden box (COUT022 style); Wooden blocks (VOUT001 style); Wooden dices (VOUT002/ VOUT030 styles); Pegs/ beads of rope rings/ wood pieces (VOUT003 style); Legs of cornhole board (VOUT008 style); Game boards (VOUT011 style); Game pieces (VOUT013/ VOUT014 styles); Chips (VOUT030 style); Paddle handle (VOUT048 style)
57	Off black knitted textile	Drawstring of pouch (COUT022/ VOUT008/ VOUT009/ VOUT011/ VOUT036/ VOUT048 styles); Strap of zipper puller of bag (VOUT001/ VOUT002 styles)
74	Dull white textile with soft white thread	Trimming of table tennis net/ sewing (VOUT048 style)
75	Dull black net textile	Table tennis net (VOUT048 style)





## Detailed results

### California Proposition 65, Total Cadmium in Substrate Materials

Test Method: ASTM F963-17 Clause 8.3.1  
Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	18	33	34	35	44	Total Limit (ppm)
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	
Total Cadmium (Cd)	ND	ND	ND	ND	ND	75
<b>Conclusion</b>	PASS	PASS	PASS	PASS	PASS	

Specimen No.	47	48	49	52	56	Total Limit (ppm)
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	
Total Cadmium (Cd)	ND	ND	ND	ND	ND	75
<b>Conclusion</b>	PASS	PASS	PASS	PASS	PASS	

Specimen No.	57	74	75	---	---	Total Limit (ppm)
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	
Total Cadmium (Cd)	ND	ND	ND	---	---	75
<b>Conclusion</b>	PASS	PASS	PASS	---	---	

**Note:**

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 20 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

**Remark:**

The limit is quoted from client's requirement.





## Specimen description

Specimen #	Specimen description	Location
18	Black non-woven with black thread	Pouch/ sewing (COUT022/ VOUT008/ VOUT009/ VOUT011/ VOUT013/ VOUT014/ VOUT036/ VOUT048 styles)
33	Off white plastic	Table tennis balls (VOUT048 style)
34	Matt red plastic	Adjustable lever of clamps of table tennis net (VOUT048 style)
35	Light blue plastic	Holders of table tennis net (VOUT048 style)
44	Off black PVC	Clamps/ top of holder of table tennis net (VOUT048 style)
47	Sharp red soft plastic with white textile backing with adhesive	Sealing tape of paddle rim (VOUT048 style)
48	Red soft plastic with white foam backing with adhesive	Pad of paddle board (VOUT048 style)
49	Matt black soft plastic with white foam backing with adhesive	Pad of paddle board (VOUT048 style)
52	Bright brown plywood	Paddle board (VOUT036/ VOUT048 styles)
56	Brown natural wood	Wooden box (COUT022 style); Wooden blocks (VOUT001 style); Wooden dices (VOUT002/ VOUT030 styles); Pegs/ beads of rope rings/ wood pieces (VOUT003 style); Legs of cornhole board (VOUT008 style); Game boards (VOUT011 style); Game pieces (VOUT013/ VOUT014 styles); Chips (VOUT030 style); Paddle handle (VOUT048 style)
57	Off black knitted textile	Drawstring of pouch (COUT022/ VOUT008/ VOUT009/ VOUT011/ VOUT036/ VOUT048 styles); Strap of zipper puller of bag (VOUT001/ VOUT002 styles)
74	Dull white textile with soft white thread	Trimming of table tennis net/ sewing (VOUT048 style)
75	Dull black net textile	Table tennis net (VOUT048 style)





## Detailed results

### 16 CFR 1307, California Proposition 65, Canadian Phthalates Regulations SOR/2016-188 and Client's Requirement, Phthalates Content

Test Method: CPSC-CH-C1001-09.4  
Analytical Method: Gas Chromatography with Mass Spectrometry

Specimen No.		17	33	34	35	44
Test Item	CAS No.	Result (% w/w)	Result (% w/w)	Result (% w/w)	Result (% w/w)	Result (% w/w)
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	ND	ND	ND
Benzyl Butyl Phthalate (BBP)	85-68-7	ND	ND	ND	ND	ND
Di-(2-Ethylhexyl) Phthalate (DEHP)	117-81-7	0.027	ND	ND	ND	ND
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	ND	ND
Di-N-Hexyl Phthalate (DHEXP / DnHP)	84-75-3	ND	ND	ND	ND	ND
Dicyclohexyl Phthalate (DCHP)	84-61-7	ND	ND	ND	ND	ND
Diisobutyl Phthalate (DIBP)	84-69-5	ND	ND	ND	ND	ND
Di-N-Pentyl Phthalate (DPENP)	131-18-0	ND	ND	ND	ND	ND
Diisodecyl phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	ND	ND	ND
Di-n-octyl phthalate (DnOP)	117-84-0	ND	ND	ND	ND	ND
<b>Conclusion</b>		PASS	PASS	PASS	PASS	PASS

**Note:**

% w/w = Percent by weight

LT = Less than

ND = Not detected (Reporting Limit = 0.015 % w/w)

Composite results are based on specimen of least mass resulting in highest potential concentration.





## Detailed results

### 16 CFR 1307, California Proposition 65, Canadian Phthalates Regulations SOR/2016-188 and Client's Requirement, Phthalates Content

Test Method: CPSC-CH-C1001-09.4  
Analytical Method: Gas Chromatography with Mass Spectrometry

Specimen No.		47	48	49	52	---
Test Item	CAS No.	Result (% w/w)	Result (% w/w)	Result (% w/w)	Result (% w/w)	Result (% w/w)
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	ND	ND	---
Benzyl Butyl Phthalate (BBP)	85-68-7	ND	ND	ND	ND	---
Di-(2-Ethylhexyl) Phthalate (DEHP)	117-81-7	ND	ND	ND	ND	---
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	ND	---
Di-N-Hexyl Phthalate (DHEXP / DnHP)	84-75-3	ND	ND	ND	ND	---
Dicyclohexyl Phthalate (DCHP)	84-61-7	ND	ND	ND	ND	---
Diisobutyl Phthalate (DIBP)	84-69-5	ND	ND	ND	ND	---
Di-N-Pentyl Phthalate (DPENP)	131-18-0	ND	ND	ND	ND	---
Diisodecyl phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	ND	ND	---
Di-n-octyl phthalate (DnOP)	117-84-0	ND	ND	ND	ND	---
<b>Conclusion</b>		PASS	PASS	PASS	PASS	---

Note:

% w/w = Percent by weight

LT = Less than

ND = Not detected (Reporting Limit = 0.015 % w/w)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Summary of Requirement:

Requirement	Limit
16 CFR 1307 Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates (DBP, BBP, DEHP, DINP, DHEXP / DnHP, DCHP, DIBP, DPENP)	0.1 % w/w each
California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP)	0.1 % w/w each
Canadian Phthalates Regulations SOR/2016-188, Phthalates (DBP, BBP, DEHP, DnOP, DINP, DIDP) in Mouthable Vinyl Materials	0.1 % w/w each
Client's Requirement, Phthalate Content (DBP, BBP, DEHP, DnOP, DINP, DIDP)	0.1 % w/w each





## Specimen description

Specimen #	Specimen description	Location
17	Black non-woven	Pouch (COUT022/ VOUT008/ VOUT009/ VOUT011/ VOUT013/ VOUT014/ VOUT036/ VOUT048 styles)
33	Off white plastic	Table tennis balls (VOUT048 style)
34	Matt red plastic	Adjustable lever of clamps of table tennis net (VOUT048 style)
35	Light blue plastic	Holders of table tennis net (VOUT048 style)
44	Off black PVC	Clamps/ top of holder of table tennis net (VOUT048 style)
47	Sharp red soft plastic with white textile backing with adhesive	Sealing tape of paddle rim (VOUT048 style)
48	Red soft plastic with white foam backing with adhesive	Pad of paddle board (VOUT048 style)
49	Matt black soft plastic with white foam backing with adhesive	Pad of paddle board (VOUT048 style)
52	Bright brown plywood	Paddle board (VOUT036/ VOUT048 styles)





## Detailed results

### Model Toxics in Packaging Legislation of the Toxics in Packaging Clearinghouse (TPCH)

Test Method: CH-HK-WI063  
Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry,  
Ultraviolet-Visible Spectrophotometry

Specimen No.	90	95	96	---	---	Total Limit (ppm)
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	
Cadmium (Cd)	ND	ND	ND	---	---	
Chromium VI (Cr VI)	ND	ND	ND	---	---	
Lead (Pb)	ND	ND	ND	---	---	
Mercury (Hg)	ND	ND	ND	---	---	
Sum	ND	ND	ND	---	---	<b>100</b>
<b>Conclusion</b>	PASS	PASS	PASS	---	---	

**Note:**

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 20 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Total Chromium is reported for Chromium (VI) unless specified.

## Specimen description

Specimen #	Specimen description	Location
90	Clear laminated light white/ matt brown paperboard with adhesive	Blank paper box (VOUT003/ VOUT035/ VOUT048 styles)
95	Black printed matt white paper	Instruction sheet (all styles except VOUT011 style)
96	Red/ black printed off white paper with adhesive	Sticker of ziploc bag (VOUT014 style); Sticker of blank paper box (VOUT048 style)



Verify Report



## Detailed results

### CPSIA Section 106<sup>#</sup>, Mandatory Toy Safety Standard ASTM F963-17, Mechanical Hazards (Excluding Section 5,6,7) 16 CFR 1500, Federal Hazardous Substances Act (FHSA), Mechanical Hazards

Mechanical hazards evaluated as described in 16 CFR 1500.51-1500.53 and ASTM F963-17, as applicable.

Test	Observation	Conclusion
Impact	No Sharp Edges or Sharp Points	PASS
Torque	No Sharp Edges or Sharp Points	PASS
Tension	No Sharp Edges or Sharp Points	PASS

#### Other Applicable ASTM F963-17 Sections

Section	Test	Conclusion
4.1	Material Quality	PASS
4.7	Accessible Edges	PASS
4.9	Accessible Points	PASS
4.21	Projectile Toys	PASS

#### 16 CFR 1500.44 and ASTM F963-17, Section 4.2, Flammability of Solids

Test	Observation	Conclusion
Flammability of Solids	The burn rate is less than or equal to 0.1 in/sec.	PASS





## Detailed results

### 19 CFR 134.11–Country of Origin–Labeling Review<sup>#</sup>

Test	Observation	Conclusion
Country of Origin	Present on packaging and can be read easily by consumer at the point of sale	PASS

### CPSIA Section 103-Children's Products-Labeling Review (Tracking Labels)<sup>#</sup>

Requirement	Observation	Conclusion
Manufacturer or private labeler listed, location & date of manufacture, including batch, run number and/or other identifying characteristics	Information was present.	PASS





## Detailed results

### Canadian Toy Regulations SOR/2011-17 as amended, Mechanical Hazards Requirements

Mechanical hazards evaluated as described in SOR/2011-17, as applicable.

Test	Observation	Conclusion
Impact	No Sharp Edge or Sharp Point	PASS
Push/Pull	No Sharp Edge or Sharp Point	PASS

Section	Requirement	Conclusion
10	Plastic Edges	PASS
11	Wood	PASS

### Canadian Toy Regulations SOR/2011-17 as Amended, Item 21 Celluloid or Cellulose Nitrate

(Method: Visual Observation)

Test	Observation	Conclusion
Cellulose Nitrate	No visual signs of Cellulose Nitrate.	PASS

### Marking of Imported Goods Order, (C.R.C., c.535), Country of Origin #

Section	Requirement	Conclusion
2	Country of Origin Markings	PASS





## Detailed results

### EPA TSCA Title VI-Composite Wood-Finished Good Labeling<sup>#</sup>

Test	Observation	Conclusion
EPA TSCA Title VI-Composite Wood-Finished Good Labeling	EPA TSCA Title VI Composite Wood labelling was presented.	PASS





## Pictures

### Sample photo:



End of the report

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and the method /regulation section(s) tested as described herein. If it is not further specified in the report, the decision rule for stating conformity is based on the QIMA decision rule. (<https://www.qima.com/conditions-of-service#decisionRule>). This test report may not be reproduced in whole or in part, without the written approval of QIMA Testing (HK) Limited.

