



Test Report

No.T32420290083TC

Date: JUN 06, 2024

Page 1 of 28

KOOZIE GROUP

14421 MYERLAKE CIRCLE CLEARWATER, PINELLAS,FL 33760,UNITED STATES

The following samples were submitted and identified by/on behalf of the client as:

GLAM RECYCLED TUMBLER - 24 OZ.

Item No. : 46473
Shipment Order No. : 7201102
Product Colors : SILVER,BLACK,BLUE,LIGHT BLUE,TEAL
Manufacture Date : 2024
Test Request Form No. : 46473.0424M
Country of Origin : CHINA
Country of Destination : CANADA, UNITED STATES
Sample Receiving Date : MAY 07, 2024
Testing Period : MAY 07, 2024 TO JUN 06, 2024

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Selected test(s) as requested by the client, please refer to test result page(s) for details:

Test Requested		Conclusion
1.	US FDA 21 CFR 181.32 (Acrylonitrile Copolymers) – Determination of Amount of Residual Acrylonitrile	PASS
2.	Title 16, Code of Federal Regulations, Chapter II - Consumer Products Safety Commission of U.S.A. - Part 1303 - Ban of Lead - Containing Paint and Certain Consumer Products Bearing Lead - Containing Paint – Lead Content	NOT APPLICABLE (SEE REMARK)
3.	CPSIA section 101 - Total Lead content	--
	CPSIA section 101(f) (1) – Lead in paint/similar surface coating material	NOT APPLICABLE (SEE REMARK)
	CPSIA section 101(a) (2) – Lead in accessible substrate materials (Including Children’s Metal Jewelry)	PASS
4.	US 16 CFR Part 1307 – Phthalates	PASS
5.	United State Code of Federal Regulations 21 CFR 177.1210 (FDA) - Amount of Net Chloroform Soluble Extractives	PASS
6.	The United State Code of Federal Regulations 21 CFR 177.1520 (FDA) - density, maximum extractable fraction in n-hexane, and maximum soluble fraction in xylene	PASS
7.	The United State Code of Federal Regulations 21 CFR 177.2600 (FDA) - extractives in distilled water	PASS
8.	US California Proposition 65 – Lead Content	PASS
9.	US California Proposition 65 – Phthalates Content	PASS

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company’s findings at the time of its intervention only and within the limits of Client’s instructions, if any. The Company’s sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report

No.T32420290083TC

Date: JUN 06, 2024

Page 3 of 28

Test Requested		Conclusion
10.	Canada Consumer Product Safety Act (S.C. 2010, c. 21), Consumer Products Containing Lead Regulations, SOR/2018-83 – Total Lead content	PASS
11.	Canada Phthalates Regulation (SOR/2016-188) (formerly restricted under SOR/2010-298) – Phthalates content	PASS
12.	Client’s Requirement – Bisphenol A (BPA) Content	PASS

Remark: There were no surface coating found in the said submitted sample.

***** FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) *****

Signed for and on behalf of
SGS Hong Kong Ltd.

To Man Wah, Po
Technical Manager

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company’s findings at the time of its intervention only and within the limits of Client’s instructions, if any. The Company’s sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Results:

US FDA 21 CFR 181.32 (Acrylonitrile Copolymers) – Determination of Amount of Residual Acrylonitrile

Method : With reference to US FDA 21 CFR 181.32

For repeated-use articles :

Extractants	Test Condition	Result (mg/inch ²)			Detection Limit (mg/inch ²)	Permissible Limit (mg/inch ²)
		1	2	3		
3% Acetic acid	120°F for 24 hours	ND	ND	ND	0.003	0.003
Comment	--	PASS	PASS	PASS	--	--

Extractants	Test Condition	Result (mg/inch ²)		Detection Limit (mg/inch ²)	Permissible Limit (mg/inch ²)
		4	5		
3% Acetic acid	120°F for 24 hours	ND	ND	0.003	0.003
Comment	--	PASS	PASS	--	--

Extractants	Test Condition	Result (mg/inch ²)		Detection Limit (mg/inch ²)	Permissible Limit (mg/inch ²)
		6	7		
3% Acetic acid	120°F for 24 hours	ND	ND	0.003	0.003
Comment	--	PASS	PASS	--	--

Specimen Description:

1. Transparent plastic (Inner tumbler & lid)
2. Transparent cyan plastic (Inner tumbler)
3. Transparent blue plastic (Lid)
4. Transparent green plastic (Inner tumbler & lid)
5. Transparent dark blue plastic (Inner tumbler & lid)
6. Transparent black plastic (Lid)
7. Black plastic (Inner tumbler)

Note: - mg/inch² = milligram per square inch
 - °F = degrees Fahrenheit
 - ND = Not Detected

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

CPSIA - Lead in Accessible Substrate Materials

Method (non-metallic materials): With reference to CPSC-CH-E1002-08.3 - Standard Operation Procedure for Determining Total Lead (Pb) in Non-Metal Children Product

Method (metal materials): With reference to CPSC-CH-E1001-08.3 - Standard Operating Procedure for Determining Total Lead (Pb) in Children’s Metal Products (Including Children’s Metal Jewelry)

Test Item(s)	Lead (Pb)
Permissible Limit (ppm)	100
Specimen Description	Result(s) (ppm)
1. Milk white silicone rubber (Stopper)	ND
2. Translucent blue silicone rubber (Stopper)	ND
3. Translucent green silicone rubber (Stopper)	ND
4. Translucent dark blue silicone rubber (Stopper)	ND
5. Translucent black silicone rubber (Stopper)	ND
6. Translucent silicone rubber (Gasket ring)	ND
7. Translucent plastic (Straw)	ND
8. Translucent blue plastic (Straw)	ND
9. Translucent green plastic (Straw)	ND
10. Translucent dark blue plastic (Straw)	ND
11. Translucent black plastic (Straw)	ND
12. Transparent plastic (Inner tumbler & lid & body)	ND
13. Transparent cyan plastic (Inner tumbler & body)	ND
14. Transparent blue plastic (Lid)	ND
15. Transparent green plastic (Inner tumbler & lid)	ND
16. Transparent dark blue plastic (Inner tumbler & lid & body)	ND
17. Transparent black plastic (Lid)	ND
18. Black plastic (Inner tumbler)	ND
19. Translucent white plastic (Flip cover)	ND
20. Translucent blue plastic (Flip cover)	ND
21. Translucent green plastic (Flip cover)	ND
22. Translucent dark blue plastic (Flip cover)	ND
23. Translucent black plastic (Flip cover)	ND
24. Transparent dark green plastic (Body)	ND
25. Transparent light black plastic (Body)	ND

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company’s findings at the time of its intervention only and within the limits of Client’s instructions, if any. The Company’s sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

- Note:
- ppm = parts per million
 - ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit = 10 ppm
 - 1% = 10000 mg/kg = 10000 ppm

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- ^Δ Test result is over recommended action limit (80% of the regulatory limit). As the result is based on composite test and falls into an uncertain range, where “Pass” or “Fail” cannot be truly defined, “Interim-Fail” is given since the specimen may possibility fail according to the regulatory limit. Individual test is highly recommended to determine the exact Lead content in each component. The decision rule has prescribed in the regulation or standard, conformity reporting will base on the standard.
- + Composite test has been performed as per client’s request and the results are calculated using the minimum specimen weight
- * Exceeds Permissible Limit

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company’s findings at the time of its intervention only and within the limits of Client’s instructions, if any. The Company’s sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

US 16 CFR Part 1307 – Phthalates Content

Method: With reference to CPSC-CH-C1001-09.4

Analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS) / High Performance Liquid Chromatography with Mass Spectrometer (HPLC-MS)

Test Item(s) Specimen No.	CAS No.	Result (s) (%)			MDL (%)	Permissible Limit (%)
		1	2	3		
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	ND	0.003	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	ND	0.003	0.1
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	ND	ND	0.003	0.1
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	0.010	0.1
Di-n-Hexyl phthalate (DHP/DnHP/DHEXP)	84-75-3	ND	ND	ND	0.003	0.1
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	0.003	0.1
Di-n-pentyl phthalate (DPP/DPEP/DPENP)	131-18-0	ND	ND	ND	0.003	0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	ND	ND	ND	0.003	0.1

Test Item(s) Specimen No.	CAS No.	Result (s) (%)			MDL (%)	Permissible Limit (%)
		4	5	6		
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	ND	0.003	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	ND	0.003	0.1
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	ND	ND	0.003	0.1
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	0.010	0.1
Di-n-Hexyl phthalate (DHP/DnHP/DHEXP)	84-75-3	ND	ND	ND	0.003	0.1
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	0.003	0.1
Di-n-pentyl phthalate (DPP/DPEP/DPENP)	131-18-0	ND	ND	ND	0.003	0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	ND	ND	ND	0.003	0.1

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Item(s) Specimen No.	CAS No.	Result (s) (%)			MDL (%)	Permissible Limit (%)
		7	8	9		
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	ND	0.003	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	ND	0.003	0.1
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	ND	ND	0.003	0.1
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	0.010	0.1
Di-n-Hexyl phthalate (DHP/DnHP/DHEXP)	84-75-3	ND	ND	ND	0.003	0.1
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	0.003	0.1
Di-n-pentyl phthalate (DPP/DPEP/DPENP)	131-18-0	ND	ND	ND	0.003	0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	ND	ND	ND	0.003	0.1

Test Item(s) Specimen No.	CAS No.	Result (s) (%)			MDL (%)	Permissible Limit (%)
		10	11	12		
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	ND	0.003	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	ND	0.003	0.1
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	ND	ND	0.003	0.1
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	0.010	0.1
Di-n-Hexyl phthalate (DHP/DnHP/DHEXP)	84-75-3	ND	ND	ND	0.003	0.1
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	0.003	0.1
Di-n-pentyl phthalate (DPP/DPEP/DPENP)	131-18-0	ND	ND	ND	0.003	0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	ND	ND	ND	0.003	0.1

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Item(s) Specimen No.	CAS No.	Result (s) (%)			MDL (%)	Permissible Limit (%)
		13	14	15		
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	ND	0.003	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	ND	0.003	0.1
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	ND	ND	0.003	0.1
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	0.010	0.1
Di-n-Hexyl phthalate (DHP/DnHP/DHEXP)	84-75-3	ND	ND	ND	0.003	0.1
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	0.003	0.1
Di-n-pentyl phthalate (DPP/DPEP/DPENP)	131-18-0	ND	ND	ND	0.003	0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	ND	ND	ND	0.003	0.1

Test Item(s) Specimen No.	CAS No.	Result (s) (%)			MDL (%)	Permissible Limit (%)
		16	17	18		
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	ND	0.003	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	ND	0.003	0.1
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	ND	ND	0.003	0.1
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	0.010	0.1
Di-n-Hexyl phthalate (DHP/DnHP/DHEXP)	84-75-3	ND	ND	ND	0.003	0.1
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	0.003	0.1
Di-n-pentyl phthalate (DPP/DPEP/DPENP)	131-18-0	ND	ND	ND	0.003	0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	ND	ND	ND	0.003	0.1

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Item(s) Specimen No.	CAS No.	Result (s) (%)			MDL (%)	Permissible Limit (%)
		19	20	21		
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	ND	0.003	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	ND	0.003	0.1
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	ND	ND	0.003	0.1
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	0.010	0.1
Di-n-Hexyl phthalate (DHP/DnHP/DHEXP)	84-75-3	ND	ND	ND	0.003	0.1
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	ND	0.003	0.1
Di-n-pentyl phthalate (DPP/DPEP/DPENP)	131-18-0	ND	ND	ND	0.003	0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	ND	ND	ND	0.003	0.1

Test Item(s) Specimen No.	CAS No.	Result (s) (%)		MDL (%)	Permissible Limit (%)
		22	23		
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	0.003	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	0.003	0.1
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	ND	0.003	0.1
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	0.010	0.1
Di-n-Hexyl phthalate (DHP/DnHP/DHEXP)	84-75-3	ND	ND	0.003	0.1
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	0.003	0.1
Di-n-pentyl phthalate (DPP/DPEP/DPENP)	131-18-0	ND	ND	0.003	0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	ND	ND	0.003	0.1

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Item(s) Specimen No.	CAS No.	Result (s) (%)		MDL (%)	Permissible Limit (%)
		24	25		
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	0.003	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	0.003	0.1
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	ND	0.003	0.1
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	0.010	0.1
Di-n-Hexyl phthalate (DHP/DnHP/DHEXP)	84-75-3	ND	ND	0.003	0.1
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	0.003	0.1
Di-n-pentyl phthalate (DPP/DPEP/DPENP)	131-18-0	ND	ND	0.003	0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	ND	ND	0.003	0.1

Specimen Description:

1. Translucent plastic (Straw)
2. Translucent blue plastic (Straw)
3. Translucent green plastic (Straw)
4. Translucent dark blue plastic (Straw)
5. Translucent black plastic (Straw)
6. Transparent plastic (Inner tumbler & lid & body)
7. Transparent cyan plastic (Inner tumbler & body)
8. Transparent blue plastic (Lid)
9. Transparent green plastic (Inner tumbler & lid)
10. Transparent dark blue plastic (Inner tumbler & lid & body)
11. Transparent black plastic (Lid)
12. Black plastic (Inner tumbler)
13. Translucent white plastic (Flip cover)
14. Translucent blue plastic (Flip cover)
15. Translucent green plastic (Flip cover)
16. Translucent dark blue plastic (Flip cover)
17. Translucent black plastic (Flip cover)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Specimen Description:

18. Transparent dark green plastic (Body)
19. Transparent light black plastic (Body)
20. Milk white silicone rubber (Stopper)
21. Translucent blue silicone rubber (Stopper)
22. Translucent green silicone rubber (Stopper)
23. Translucent dark blue silicone rubber (Stopper)
24. Translucent black silicone rubber (Stopper)
25. Translucent silicone rubber (Gasket ring)

- Note:
- % = percentage by weight
 - ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit
 - 1% = 10000 mg/kg = 10000 ppm

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the total specimen weight
- ^Δ Result is made based on the composite test which may have the probability of one or more components that can lead to a failure conclusion. Individual test is highly recommended for each component
- * Exceeds Permissible Limit



Test Report

No.T32420290083TC

Date: JUN 06, 2024

Page 13 of 28

US FDA 21 CFR 177.1210 (Closure with Sealing Gaskets) – Determination of Amount of Net Chloroform Soluble Extractives

Method: With reference to US FDA 21 CFR 177.1210

For Preformed Overall Discs or Annular Rings from Plasticized Polymers including Vulcanized Rubber

Simulant used	Test Condition	Result(s) (ppm)	MDL (ppm)	Permissible Limit (ppm)
		1		
Distilled Water	120°F for 24 hours	ND	5	50

Specimen Description:

1. Translucent silicone rubber (Gasket ring)

- Note:
- ppm = parts per million
 - °F = degree Fahrenheit
 - ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

FDA 21 CFR 177.1520 - PP (Co-Polymer)

Method: With reference to 21 CFR 177.1520

Test Item(s)	1	2	3	Permissible Limit
1. Density (g/cm ³)	0.90	0.90	0.90	0.85-1.00
2. Maximum extractable fraction in n-hexane (w/w)	0.6	0.9	0.7	5.5% at 50°C
3. Maximum soluble fraction in xylene (w/w)	4.4	4.5	4.4	30% at 25°C

Test Item(s)	4	5	Permissible Limit
1. Density (g/cm ³)	0.90	0.90	0.85-1.00
2. Maximum extractable fraction in n-hexane (w/w)	0.8	0.6	5.5% at 50°C
3. Maximum soluble fraction in xylene (w/w)	4.5	4.4	30% at 25°C

Specimen Description:

1. Translucent plastic (Straw)
2. Translucent blue plastic (Straw)
3. Translucent green plastic (Straw)
4. Translucent dark blue plastic (Straw)
5. Translucent black plastic (Straw)

- Note:
- % = percentage by weight
 - g/cm³ = gram per cubical centimeter
 - °C = degree Celsius
 - < = less than

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report

No.T32420290083TC

Date: JUN 06, 2024

Page 15 of 28

FDA 21 CFR 177.2600 - Rubber

Method: With reference to 21 CFR 177.2600

Test Item(s)	1	2	3	Permissible Limit (mg/inch ²)
1. Total Extractives in Distilled Water at Reflux Temperature:	--	--	--	--
- The First 7 Hours of Extraction (mg/inch ²)	0.4	0.4	0.6	20
- The Succeeding 2 Hours of Extraction (mg/inch ²)	ND	ND	ND	1

Test Item(s)	4	5	Permissible Limit (mg/inch ²)
1. Total Extractives in Distilled Water at Reflux Temperature:	--	--	--
- The First 7 Hours of Extraction (mg/inch ²)	0.4	0.5	20
- The Succeeding 2 Hours of Extraction (mg/inch ²)	ND	ND	1

Specimen Description:

1. Milk white silicone rubber (Stopper)
2. Translucent blue silicone rubber (Stopper)
3. Translucent green silicone rubber (Stopper)
4. Translucent dark blue silicone rubber (Stopper)
5. Translucent black silicone rubber (Stopper)

Note: - mg/inch² = milligram per square inch
- < = less than

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

US California Proposition 65 – Total Lead Content

Method: With reference to CPSC-CH-E1003-09.1 / CPSC-CH-E1002-08.3 / CPSC-CH-E1001-08.3
 Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES) / Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

Test Item(s)	Lead (Pb)
Specimen Description	Result(s) (ppm)
1. Milk white silicone rubber (Stopper)	ND
2. Translucent blue silicone rubber (Stopper)	ND
3. Translucent green silicone rubber (Stopper)	ND
4. Translucent dark blue silicone rubber (Stopper)	ND
5. Translucent black silicone rubber (Stopper)	ND
6. Translucent silicone rubber (Gasket ring)	ND
7. Translucent plastic (Straw)	ND
8. Translucent blue plastic (Straw)	ND
9. Translucent green plastic (Straw)	ND
10. Translucent dark blue plastic (Straw)	ND
11. Translucent black plastic (Straw)	ND
12. Transparent plastic (Inner tumbler & lid & body)	ND
13. Transparent cyan plastic (Inner tumbler & body)	ND
14. Transparent blue plastic (Lid)	ND
15. Transparent green plastic (Inner tumbler & lid)	ND
16. Transparent dark blue plastic (Inner tumbler & lid & body)	ND
17. Transparent black plastic (Lid)	ND
18. Black plastic (Inner tumbler)	ND
19. Translucent white plastic (Flip cover)	ND
20. Translucent blue plastic (Flip cover)	ND
21. Translucent green plastic (Flip cover)	ND
22. Translucent dark blue plastic (Flip cover)	ND
23. Translucent black plastic (Flip cover)	ND
24. Transparent dark green plastic (Body)	ND
25. Transparent light black plastic (Body)	ND

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report

No.T32420290083TC

Date: JUN 06, 2024

Page 17 of 28

- Note:
- ppm = parts per million
 - ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit =10 ppm
 - 1% = 10000mg/kg=10000ppm

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the minimum specimen weight
- * Exceed Permissible Limit

Remark: Summary of permissible limit(s) of Lead requirement otherwise warning label required.

Requirement(s)		Permissible Limit of Lead (ppm)
California Proposition 65 (County of Marin Case No. CIV 1104003)	Paint and surface coating	90
	All other materials	100

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

California Prop 65 - Phthalates Content

Method: With reference to CPSC-CH-C1001-09.4

Analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS) / High Performance Liquid Chromatography with Mass Spectrometer (HPLC-MS)

Test Item(s)	CAS No.	Result(s) (%)			MDL (%)
Specimen No.	--	1	2	3	
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	0.003
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	0.003
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	ND	ND	0.003
Di-"isononyl" phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	0.010
Di-"isodecyl" phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	ND	0.010
Di-n-Hexyl phthalate (DHP/DnHP/DHEXP)	84-75-3	ND	ND	ND	0.003

Test Item(s)	CAS No.	Result(s) (%)			MDL (%)
Specimen No.	--	4	5	6	
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	0.003
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	0.003
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	ND	ND	0.003
Di-"isononyl" phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	0.010
Di-"isodecyl" phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	ND	0.010
Di-n-Hexyl phthalate (DHP/DnHP/DHEXP)	84-75-3	ND	ND	ND	0.003

Test Item(s)	CAS No.	Result(s) (%)			MDL (%)
Specimen No.	--	7	8	9	
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	0.003
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	0.003
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	ND	ND	0.003
Di-"isononyl" phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	0.010
Di-"isodecyl" phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	ND	0.010
Di-n-Hexyl phthalate (DHP/DnHP/DHEXP)	84-75-3	ND	ND	ND	0.003

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Item(s)	CAS No.	Result(s) (%)			MDL (%)
Specimen No.	--	10	11	12	
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	0.003
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	0.003
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	ND	ND	0.003
Di-"isononyl" phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	0.010
Di-"isodecyl" phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	ND	0.010
Di-n-Hexyl phthalate (DHP/DnHP/DHEXP)	84-75-3	ND	ND	ND	0.003

Test Item(s)	CAS No.	Result(s) (%)			MDL (%)
Specimen No.	--	13	14	15	
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	0.003
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	0.003
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	ND	ND	0.003
Di-"isononyl" phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	0.010
Di-"isodecyl" phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	ND	0.010
Di-n-Hexyl phthalate (DHP/DnHP/DHEXP)	84-75-3	ND	ND	ND	0.003

Test Item(s)	CAS No.	Result(s) (%)			MDL (%)
Specimen No.	--	16	17	18	
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	0.003
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	0.003
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	ND	ND	0.003
Di-"isononyl" phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	0.010
Di-"isodecyl" phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	ND	0.010
Di-n-Hexyl phthalate (DHP/DnHP/DHEXP)	84-75-3	ND	ND	ND	0.003

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Item(s)	CAS No.	Result(s) (%)			MDL (%)
Specimen No.	--	19	20	21	
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	0.003
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	0.003
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	ND	ND	0.003
Di-"isononyl" phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	0.010
Di-"isodecyl" phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	ND	0.010
Di-n-Hexyl phthalate (DHP/DnHP/DHEXP)	84-75-3	ND	ND	ND	0.003

Test Item(s)	CAS No.	Result(s) (%)		MDL (%)
Specimen No.	--	22	23	
Dibutyl phthalate (DBP)	84-74-2	ND	ND	0.003
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	0.003
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	ND	0.003
Di-"isononyl" phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	0.010
Di-"isodecyl" phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	0.010
Di-n-Hexyl phthalate (DHP/DnHP/DHEXP)	84-75-3	ND	ND	0.003

Test Item(s)	CAS No.	Result(s) (%)		MDL (%)
Specimen No.	--	24	25	
Dibutyl phthalate (DBP)	84-74-2	ND	ND	0.003
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	0.003
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	ND	0.003
Di-"isononyl" phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	0.010
Di-"isodecyl" phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	0.010
Di-n-Hexyl phthalate (DHP/DnHP/DHEXP)	84-75-3	ND	ND	0.003

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Specimen Description:

1. Translucent plastic (Straw)
2. Translucent blue plastic (Straw)
3. Translucent green plastic (Straw)
4. Translucent dark blue plastic (Straw)
5. Translucent black plastic (Straw)
6. Transparent plastic (Inner tumbler & lid & body)
7. Transparent cyan plastic (Inner tumbler & body)
8. Transparent blue plastic (Lid)
9. Transparent green plastic (Inner tumbler & lid)
10. Transparent dark blue plastic (Inner tumbler & lid & body)
11. Transparent black plastic (Lid)
12. Black plastic (Inner tumbler)
13. Translucent white plastic (Flip cover)
14. Translucent blue plastic (Flip cover)
15. Translucent green plastic (Flip cover)
16. Translucent dark blue plastic (Flip cover)
17. Translucent black plastic (Flip cover)
18. Transparent dark green plastic (Body)
19. Transparent light black plastic (Body)
20. Milk white silicone rubber (Stopper)
21. Translucent blue silicone rubber (Stopper)
22. Translucent green silicone rubber (Stopper)
23. Translucent dark blue silicone rubber (Stopper)
24. Translucent black silicone rubber (Stopper)
25. Translucent silicone rubber (Gasket ring)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

- Note:
- % = percentage by weight
 - MDL = Method Detection Limit
 - ND = Not Detected (lower than MDL)
 - 1% = 10000 mg/kg = 10000 ppm

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the total specimen weight
- ^Δ Result is made based on the composite test which may have the probability of one or more components that can lead to a failure conclusion. Individual test is highly recommended for each component
- NA = Not Applicable
- * Exceed Permissible Limit

Summary of Permissible Limit of Requirement(s) otherwise warning label required:

Requirement(s)	Permissible Limit
California Proposition 65 (County of Santa Clara Case No. 114CV267501)	
- Seat with Vinyl/PVC upholstery	≤ 0.1% each of DEHP, BBP, DBP, DIDP, DnHP and DINP otherwise warning

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Canada Consumer Product Safety Act (S.C. 2010, c. 21), Consumer Products Containing Lead Regulations, SOR/2018-83 – Total Lead content

Method : With reference to Canada Health Product Safety Bureau, Reference Manual Book 5 - Laboratory Policies and Procedures, Part B: Test Methods Section, Method C02.2.2:2020 / C02.3.2:2021 / C02.4.1:2019 Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)

Test Item(s)	Lead (Pb)
MDL (mg/kg)	10
Permissible Limit (mg/kg)	90
Specimen Description	Result(s) (mg/kg)
1. Milk white silicone rubber (Stopper)	ND
2. Translucent blue silicone rubber (Stopper)	ND
3. Translucent green silicone rubber (Stopper)	ND
4. Translucent dark blue silicone rubber (Stopper)	ND
5. Translucent black silicone rubber (Stopper)	ND
6. Translucent silicone rubber (Gasket ring)	ND
7. Translucent plastic (Straw)	ND
8. Translucent blue plastic (Straw)	ND
9. Translucent green plastic (Straw)	ND
10. Translucent dark blue plastic (Straw)	ND
11. Translucent black plastic (Straw)	ND
12. Transparent plastic (Inner tumbler & lid & body)	ND
13. Transparent cyan plastic (Inner tumbler & body)	ND
14. Transparent blue plastic (Lid)	ND
15. Transparent green plastic (Inner tumbler & lid)	ND
16. Transparent dark blue plastic (Inner tumbler & lid & body)	ND
17. Transparent black plastic (Lid)	ND
18. Black plastic (Inner tumbler)	ND
19. Translucent white plastic (Flip cover)	ND
20. Translucent blue plastic (Flip cover)	ND
21. Translucent green plastic (Flip cover)	ND
22. Translucent dark blue plastic (Flip cover)	ND
23. Translucent black plastic (Flip cover)	ND
24. Transparent dark green plastic (Body)	ND
25. Transparent light black plastic (Body)	ND

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report

No.T32420290083TC

Date: JUN 06, 2024

Page 24 of 28

- Note:
- mg/kg = milligram per kilogram
 - ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the minimum specimen weight
- * Exceeds Permissible Limit

Canada Phthalates Regulation (SOR/2016-188)(formerly restricted under SOR/2010-298)

Method: With reference to CPSC-CH-C1001-09.4 / Canada Health Product Safety Bureau, Reference Manual Book 5 – Laboratory Policies and Procedures, Part B: Test Methods Section, Method C-34:2018 – Determination of Phthalates in Polyvinyl Chloride Consumer Products

Analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS) / High Performance Liquid Chromatography with Mass Spectrometer (HPLC-MS)

Vinyl Materials that can, in a reasonably foreseeable Manner, be placed in the Mouth of a Child under 4 Years of Age

Test Item(s) Specimen No.	CAS No.	Result (s) (%)			MDL (%)	Permissible Limit (%)
		1	2	3		
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	ND	0.003	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	ND	0.003	0.1
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	ND	ND	0.003	0.1
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	0.010	0.1
Di-n-octyl Phthalate (DNOP)	117-84-0	ND	ND	ND	0.003	0.1
Diisodecyl Phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	ND	0.010	0.1

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Item(s)	CAS No.	Result (s) (%)			MDL (%)	Permissible Limit (%)
Specimen No.	--	4	5	6		
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	ND	0.003	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	ND	0.003	0.1
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	ND	ND	0.003	0.1
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	0.010	0.1
Di-n-octyl Phthalate (DNOP)	117-84-0	ND	ND	ND	0.003	0.1
Diisodecyl Phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	ND	0.010	0.1

Specimen Description:

1. Milk white silicone rubber (Stopper)
2. Translucent blue silicone rubber (Stopper)
3. Translucent green silicone rubber (Stopper)
4. Translucent dark blue silicone rubber (Stopper)
5. Translucent black silicone rubber (Stopper)
6. Translucent silicone rubber (Gasket ring)

- Note:
- % = percentage by weight
 - ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit
 - 1% = 10000 mg/kg = 10000 ppm

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the total specimen weight
- ^Δ Result is made based on the composite test which may have the probability of one or more components that can lead to a failure conclusion. Individual test is highly recommended for each component
- * Exceeds Permissible Limit

Bisphenol A (BPA) Content

Method: Solvent extraction

Analysis was performed by High Performance Liquid Chromatography – Tandem Mass Spectrometer (HPLC-MS/MS)

Specimen Description	MDL (mg/kg)	Result(s) (mg/kg)	Client's Limit (mg/kg)
1. Translucent plastic (Straw)	0.1	ND	0.1
2. Translucent blue plastic (Straw)	0.1	ND	0.1
3. Translucent green plastic (Straw)	0.1	ND	0.1
4. Translucent dark blue plastic (Straw)	0.1	ND	0.1
5. Translucent black plastic (Straw)	0.1	ND	0.1
6. Transparent plastic (Inner tumbler & lid & body)	0.1	ND	0.1
7. Transparent cyan plastic (Inner tumbler & body)	0.1	ND	0.1
8. Transparent blue plastic (Lid)	0.1	ND	0.1
9. Transparent green plastic (Inner tumbler & lid)	0.1	ND	0.1
10. Transparent dark blue plastic (Inner tumbler & lid & body)	0.1	ND	0.1
11. Transparent black plastic (Lid)	0.1	ND	0.1
12. Black plastic (Inner tumbler)	0.1	ND	0.1
13. Milk white silicone rubber (Stopper)	0.1	ND	0.1
14. Translucent blue silicone rubber (Stopper)	0.1	ND	0.1
15. Translucent green silicone rubber (Stopper)	0.1	ND	0.1
16. Translucent dark blue silicone rubber (Stopper)	0.1	ND	0.1
17. Translucent black silicone rubber (Stopper)	0.1	ND	0.1
18. Translucent silicone rubber (Gasket ring)	0.1	ND	0.1
19. Translucent white plastic (Flip cover)	0.1	ND	1
20. Translucent blue plastic (Flip cover)	0.1	ND	1
21. Translucent green plastic (Flip cover)	0.1	ND	1
22. Translucent dark blue plastic (Flip cover)	0.1	ND	1
23. Translucent black plastic (Flip cover)	0.1	ND	1

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Specimen Description	MDL (mg/kg)	Result(s) (mg/kg)	Client's Limit (mg/kg)
24. Transparent dark green plastic (Body)	0.1	ND	1
25. Transparent light black plastic (Body)	0.1	ND	1
26. Transparent plastic sheet w/ iridescent, silvery coating (Inner)	0.1	ND	1

- Note:
- mg/kg = milligram per kilogram
 - ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the total specimen weight
- * Exceeds Client's Limit

Remark:

When statement of conformity is made, unless the decision rule was mentioned in above specified test items, the decision rule would be based on the non-binary statement with guard band (is equal to the expanded measurement uncertainty with a 95% coverage probability, $w = U_{95}$) in ILAC-G8:09/2019 Clause 4.2.3.

"Pass - the measured value is within (or below / above) the acceptance limit, where the acceptance limit is below / above to the guard band." or "Pass - The measured values were observed in tolerance at the points tested. The specific false accept risk is up to 2.5%."

"Fail - the measured value is out of (or below / above) the tolerance limit added / subtracted to the guard band." or "Fail - One or more measured values were observed out of tolerance at the points tested". The specific false reject risk is up to 2.5%.

"Inconclusive – It is not possible to state the conformity. Either one or more measured values were observed in the portion of the expanded measurement uncertainty intervals at the points tested where the specific risk is up to 50%."

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Sample Picture (As received)

Pic.1



Pic.2



SGS authenticate the photo on original report only

*** End of Report ***

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.