



Test Report

No.T32420250266SC

Date: Jan 12, 2024

Page 1 of 12

IMSGEN BRAJDS

401 US HWY 160, DONIPHAN, MO 63935, UNITED STATES

The following samples were submitted and identified by/on behalf of the client as:

20OZ. ICONIC TUMBLER

Case No. : CA324202504779
Item No. : CDKW044
Product Color : BLACK/GOLD, BLACK/STAINLESS STEEL, BLUE/STAINLESS STEEL,
DARK BLUE/GOLD, RED/STAINLESS STEEL, TEAL/STAINLESS STEEL,
WHITE/GOLD, RED/GOLD, WHITE/STAINLESS STEEL
Shipment No. : DP00056202, DP00053842
P.O. No. : IB0414
Manufacture Date : 2023
Vendor : HEADWIND GROUP LIMITED
Country of Origin : CHINA
Country of Destination : CANADA, UNITED STATES
Sample Receiving Date : JAN 04, 2024
Testing Period : JAN 04, 2024 – JAN 12, 2024

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Requested		Conclusion
1.	US FDA 21 CFR 177.1210 (Closure with Sealing Gaskets) – Determination of Amount of Net Chloroform Soluble Extractives	PASS
2.	US FDA 21 CFR 181.32 (Acrylonitrile Copolymers) – Determination of Amount of Residual Acrylonitrile	PASS
3.	Client’s Requirement – Bisphenol A (BPA) Content	PASS
4.	US California Proposition 65 – Cadmium Content	PASS
5.	US California Proposition 65 – Lead Content	PASS
6.	US California Proposition 65 – Phthalates Content	PASS

***** FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) *****

Signed for and on behalf of
SGS Hong Kong Ltd.



Lam Chi Ho, Jacko
Senior Chemist

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company’s findings at the time of its intervention only and within the limits of Client’s instructions, if any. The Company’s sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report

No.T32420250266SC

Date: Jan 12, 2024

Page 3 of 12

Test Results:

1. US FDA 21 CFR 177.1210 (Closure with Sealing Gaskets) – Determination of Amount of Net Chloroform Soluble Extractives

Method : With reference to US FDA 21 CFR 177.1210.

For preformed overall discs or annular rings from plasticized polymers including unvulcanized rubber :

Extractants	Test Condition	Result (ppm)	Reporting Limit (ppm)	Permissible Limit (ppm)
		1		
Distilled Water	120°F for 24 hours	ND	5	50
8% Alcohol	120°F for 24 hours	ND	5	50
Comment	--	PASS	--	--

Sample Description :

1. Semi-transparent silicone rubber (Gasket)

- Note :
1. ppm = parts per million
 2. °F = degrees Fahrenheit
 3. ND = Not Detected

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

2. US FDA 21 CFR 181.32 (Acrylonitrile Copolymers) – Determination of Amount of Residual Acrylonitrile

Method : With reference to US FDA 21 CFR 181.32

For repeated-use articles :

Extractants	Test Condition	Result (mg/inch ²)			Reporting Limit (mg/inch ²)	Permissible Limit (mg/inch ²)
		1	2	3		
3% Acetic acid	120°F for 24 hours	ND	ND	ND	0.002	0.003
8% Alcohol	120°F for 24 hours	ND	ND	ND	0.002	0.003
Comment	--	PASS	PASS	PASS	--	--

Extractants	Test Condition	Result (mg/inch ²)			Reporting Limit (mg/inch ²)	Permissible Limit (mg/inch ²)
		4	5	6		
3% Acetic acid	120°F for 24 hours	ND	ND	ND	0.002	0.003
8% Alcohol	120°F for 24 hours	ND	ND	ND	0.002	0.003
Comment	--	PASS	PASS	PASS	--	--

Extractants	Test Condition	Result (mg/inch ²)		Reporting Limit (mg/inch ²)	Permissible Limit (mg/inch ²)
		7	8		
3% Acetic acid	120°F for 24 hours	ND	ND	0.002	0.003
8% Alcohol	120°F for 24 hours	ND	ND	0.002	0.003
Comment	--	PASS	PASS	--	--

Extractants	Test Condition	Result (mg/inch ²)		Reporting Limit (mg/inch ²)	Permissible Limit (mg/inch ²)
		9	10		
3% Acetic acid	120°F for 24 hours	ND	ND	0.002	0.003
8% Alcohol	120°F for 24 hours	ND	ND	0.002	0.003
Comment	--	PASS	PASS	--	--

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report

No.T32420250266SC

Date: Jan 12, 2024

Page 5 of 12

Sample Description:

1. Orange plastic (Tumbler wall)
2. Red plastic (Tumbler wall)
3. Dk. Blue plastic (Tumbler wall) (Silvery bottom)
4. Teal plastic (Tumbler wall)
5. White plastic (Tumbler wall)
6. Blue plastic (Tumbler wall)
7. Black plastic (Tumbler wall)
8. Transparent plastic (Lid)
9. Transparent plastic (Push slide)
10. Dk. Blue plastic (Tumbler wall) (Golden bottom)

Note : 1. mg/inch² = milligram per square inch
2. °F = degrees Fahrenheit
3. ND = Not Detected

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

3. Bisphenol A (BPA) Content

Method: Solvent extraction

Analysis was performed by High Performance Liquid Chromatography – Tandem Mass Spectrometer (HPLC-MS/MS)

Specimen Description	Result(s) (mg/kg)	Reporting Limit (mg/kg)	Client's Limit (mg/kg)
1. Golden coating on metal (On base)	ND	1	1
2. Orange plastic (Tumbler wall)	ND	1	1
3. Red plastic (Tumbler wall)	ND	1	1
4. Dk. Blue plastic (Tumbler wall) (Silvery bottom)	ND	1	1
5. Teal plastic (Tumbler wall)	ND	1	1
6. White plastic (Tumbler wall)	ND	1	1
7. Blue plastic (Tumbler wall)	ND	1	1
8. Black plastic (Tumbler wall)	ND	1	1
9. Transparent plastic (Lid)	ND	1	1
10. Transparent plastic (Push slide)	ND	1	1
11. Dk. Blue plastic (Tumbler wall) (Golden bottom)	ND	1	1
12. Semi-transparent silicone rubber (Gasket)	ND	1	1

Note: - mg/kg = milligram per kilogram
 - ND = Not Detected (lower than reporting limit)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

4. US California Proposition 65 – Cadmium Content

Method: With reference to CPSC-CH-E1003-09.1 / CPSC-CH-E1002-08.3 / CPSC-CH-E1001-08.3
 Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES) / Inductively Coupled Plasma – Mass Spectrometry (ICP-MS)

Test Item(s)	Cadmium (Cd)
Specimen Description	Result(s) (ppm)
1. Golden coating on metal (On base)	ND
2. Silvery metal (Base)	ND
3. Orange plastic (Tumbler wall) + Red plastic (Tumbler wall) + Dk. Blue plastic (Tumbler wall) (Silvery bottom)	ND
4. Teal plastic (Tumbler wall) + White plastic (Tumbler wall) + Blue plastic (Tumbler wall)	ND
5. Black plastic (Tumbler wall) + Dk. Blue plastic (Tumbler wall) (Golden bottom)	ND
6. Transparent plastic (Lid) + Transparent plastic (Push slide)	ND
7. Semi-transparent silicone rubber (Gasket)	ND

- Note:
- ppm = parts per million
 - ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit = 5 ppm

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client’s request and the results are calculated using the minimum specimen weight

Summary of permissible limits of Cadmium requirement(s) otherwise warning label required.

Requirement(s)	Permissible Limit of Cadmium (ppm)
California Proposition 65 (County of Alameda Court Case No. RG-10-514803 [Consolidated with Case No. RG 10-545680 and RG 10-545687])	300

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company’s findings at the time of its intervention only and within the limits of Client’s instructions, if any. The Company’s sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

5. US California Proposition 65 – Total Lead Content

Method: With reference to CPSC-CH-E1003-09.1 / CPSC-CH-E1002-08.3 / CPSC-CH-E1001-08.3
 Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES) / Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

Test Item(s)	Lead (Pb)
Specimen Description	Result(s) (ppm)
1. Golden coating on metal (On base)	ND
2. Silvery metal (Base)	35
3. Orange plastic (Tumbler wall) + Red plastic (Tumbler wall) + Dk. Blue plastic (Tumbler wall) (Silvery bottom)	ND
4. Teal plastic (Tumbler wall) + White plastic (Tumbler wall) + Blue plastic (Tumbler wall)	ND
5. Black plastic (Tumbler wall) + Dk. Blue plastic (Tumbler wall) (Golden bottom)	ND
6. Transparent plastic (Lid) + Transparent plastic (Push slide)	ND
7. Semi-transparent silicone rubber (Gasket)	ND

- Note:
- ppm = parts per million
 - ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit =10 ppm
 - 1% = 10000mg/kg=10000ppm

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client’s request and the results are calculated using the minimum specimen weight

Remark: Summary of permissible limit(s) of Lead requirement otherwise warning label required.

Requirement(s)	Permissible Limit of Lead (ppm)	
California Proposition 65 (County of Marin Case No. CIV 1104003)	Paint and surface coating	90
	All other materials	100

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company’s findings at the time of its intervention only and within the limits of Client’s instructions, if any. The Company’s sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

6. California Prop 65 - Phthalates Content

Method: With reference to CPSC-CH-C1001-09.4

Analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS) / High Performance Liquid Chromatography with Mass Spectrometer (HPLC-MS)

Test Item(s)	CAS No.	Result(s) (%)			MDL (%)
Specimen No.	--	1	2	3	
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	0.003
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	0.003
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	ND	ND	0.003
Di-"isononyl" phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	0.010
Di-"isodecyl" phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	ND	0.010
Di-n-Hexyl phthalate (DHP/DnHP/DHEXP)	84-75-3	ND	ND	ND	0.003

Test Item(s)	CAS No.	Result(s) (%)			MDL (%)
Specimen No.	--	4	5	6	
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND	0.003
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND	0.003
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	ND	ND	0.003
Di-"isononyl" phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	0.010
Di-"isodecyl" phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	ND	0.010
Di-n-Hexyl phthalate (DHP/DnHP/DHEXP)	84-75-3	ND	ND	ND	0.003

Specimen Description:

1. Golden coating on metal (On base)
2. Orange plastic (Tumbler wall) + Red plastic (Tumbler wall) + Dk. Blue plastic (Tumbler wall) (Silvery bottom)
3. Teal plastic (Tumbler wall) + White plastic (Tumbler wall) + Blue plastic (Tumbler wall)
4. Black plastic (Tumbler wall) + Dk. Blue plastic (Tumbler wall) (Golden bottom)
5. Transparent plastic (Lid) + Transparent plastic (Push slide)
6. Semi-transparent silicone rubber (Gasket)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report

No.T32420250266SC

Date: Jan 12, 2024

Page 10 of 12

- Note:
- % = percentage by weight
 - MDL = Method Detection Limit
 - ND = Not Detected (lower than MDL)
 - 1% = 10000 mg/kg = 10000 ppm

The below note(s) is(are) applicable in case the relevant superscript(s) and symbol(s) was(were) shown in the result table:

- + Composite test has been performed as per client's request and the results are calculated using the total specimen weight

Summary of Permissible Limit of Requirement(s) otherwise warning label required:

Requirement(s)	Permissible Limit
California Proposition 65 (County of Santa Clara Case No. 114CV267501)	≤ 0.1% each of DEHP, BBP, DBP, DIDP, DnHP and DINP otherwise warning

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Remark:

When statement of conformity is made, unless inherent in the requested specification, the decision rule would be based on the non-binary statement with guard band (is equal to the expanded measurement uncertainty with a 95% coverage probability, $w = U_{95}$) in ILAC-G8:09/2019 Clause 4.2.3.

“Pass - the measured value is within (or below / above) the acceptance limit, where the acceptance limit is below / above to the guard band.” or “Pass - The measured values were observed in tolerance at the points tested. The specific false accept risk is up to 2.5%.”.

“Fail - the measured value is out of (or below / above) the tolerance limit added / subtracted to the guard band.” or “Fail - One or more measured values were observed out of tolerance at the points tested”. The specific false reject risk is up to 2.5%.

“Inconclusive – It is not possible to state the conformity. Either one or more measured values were observed in the portion of the expanded measurement uncertainty intervals at the points tested where the specific risk is up to 50%.”

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Sample Photo:

Pic.1



Pic.2



SGS authenticate the photo on original report only

*** End of Report ***

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.