## **SPEC SHEET + MEASUREMENTS**

#### PORT AUTHORITY.

Port Authority <sup>®</sup> Women's UV Choice Pique Henley. LK750

## **Product photo**



This snag-resistant henley will quickly become your first choice for classic corporate uniforming. It performs with exceptional moisture wicking and resists UV rays—making it a great out-of-the-office look, too.

- 5-ounce, 100% polyester pique; White is 5.3-ounce for increased coverage
- Snag-resistant
- Moisture-wicking
- UPF rating of 20+
- Tag-free label
- Open neckline
- 5-button henley
- Dyed-to-match buttons
- · Front seaming
- · Longer length

### **CARE INSTRUCTIONS**

Machine Wash Cold With Like Colors. Do Not use Fabric Softeners. Do Not Bleach. Tumble Dry Low. Remove Promptly. Cool Iron, If Necessary.

### **Sketches**





front

back

# SPEC SHEET + MEASUREMENTS

PORT AUTHORITY.

Port Authority <sup>®</sup> Women's UV Choice Pique Henley. LK750

#### PRODUCT MEASUREMENTS

	xs	S	М	L	XL	XXL	3XL	4XL
Size	2	4/6	8/10	12/14	16/18	20/22	24/26	28/30
Body Length at Back	27 3/4	28 1/4	28 3/4	29 1/4	29 3/4	30 1/4	30 3/4	31 1/4
Bust	17 3/4	18 3/4	19 3/4	21 1/4	22 3/4	24 1/4	26 1/4	28 1/4
Sleeve Length from Center Back	23	23 1/2	24	24 1/2	25	25 1/2	26	26

Body Length at Back: Measured from high point shoulder to finished hem at back.

Bust: Measured across the chest one inch below armhole when laid flat.

Sleeve Length from Center Back: Measure from Center Back neck to shoulder point to sleeve hem.

### SIZE CHARTS


	xs	S	М	L	XL	XXL	3XL	4XL
Size	2	4/6	8/10	12/14	16/18	20/22	24/26	28/30
Bust	32-34	35-36	37-38	39-41	42-44	45-47	48-51	52-55

# SPEC SHEET + MEASUREMENTS

#### PORT AUTHORITY.

Port Authority ® Women's UV Choice Pique Henley. LK750

### HOW TO MEASURE



#### **BUST**

Measure under the arm and around the fullest part of the bust with arms down, keeping tape horizontal.

## **COLORS**













Black PMS BLACK C

Deep Olive PMS 7771C

Rich Red PMS 207C

Sterling Grey PMS COOL GRAY 11C

True Blue PMS 654C

True Navy PMS 5255C