

VHDW26263 RPET Cap



Heat Transfer

Front(Standard): 3.75" w x 1.5" h (max. 1 color)

Minimum Font Size: 12 pt.

Minimum Line Weight: 1 pos / 1.5 neg

Halftones Not Available



VHDW26263 RPET Cap



Heat Transfer

Back(Optional, add'l charge): 2.25" w x .75" h (max. 1 color)

Minimum Font Size: 12 pt.

Minimum Line Weight: 1 pos / 1.5 neg

Halftones Not Available





VHDW26263 RPET Cap

Full Color

Front(Optional, add'l charge): 3.75" w x 1.5" h

	Exterior Shape:	Interior Shape:
Min. Font Size:	Sans 8pt./Serif 10pt./Script 12pt.	Sans 5pt./Serif 6pt./Script 8pt.
Min. Line Weight:	1 pos / .75 neg	.5 pos / .75 neg
Halftones:	Available	Available





VHDW26263 RPET Cap

Full Color

Back(Optional, add'l charge): 2.25" w x .75" h

	Exterior Shape:	Interior Shape:
Min. Font Size:	Sans 8pt./Serif 10pt./Script 12pt.	Sans 5pt./Serif 6pt./Script 8pt.
Min. Line Weight:	1 pos / .75 neg	.5 pos / .75 neg
Halftones:	Available	Available





VHDW26263 RPET Cap

Embroidery

Front(Optional, add'l charge): 3.75"w x 1.5"h, (max. 12 color)

Minimum Font Size: 5 mm tall, (lower case)

Minimum Line Weight: 1 mm / 2.5 pt



VHDW26263 RPET Cap

Embroidery

Back(Optional, add'l charge): 2.5"w x .75"h, (max. 12 color)

Minimum Font Size: 5 mm tall, (lower case)

Minimum Line Weight: 1 mm / 2.5 pt

