# SPEC SHEET + MEASUREMENTS

#### PORT AUTHORITY.

Port Authority <sup>®</sup> Flexfit 110 <sup>®</sup> Performance Snapback Cap. C301

## **Product photo**




Fabric: 100% polyester Structure: Structured

Profile: Mid Features: Flexfit 110 technology allows for the perfect blend of Flexfit technology and adjustability for a more custom fit Permacurv<sup>®</sup> bill to maintain proper shape and curve

Closure: 7-position adjustable snapback

## **Sketches**





front back

# SPEC SHEET + MEASUREMENTS

PORT AUTHORITY.

Port Authority <sup>®</sup> Flexfit 110 <sup>®</sup> Performance Snapback Cap. C301

#### PRODUCT MEASUREMENTS

	OSFA
Crown Height	6 7/8
Width of Front Panel(s)	7 1/2
Bill/Visor Length	2 3/4

Crown Height: Measure from middle of button at top, to brim seam along center front.

Width of Front Panel(s): Measure from side seam to side seam along bottom of crown (where bill meets crown along seam).

Bill/Visor Length: Measure from outside edge of bill to crown seam at center front.

## SIZE CHARTS

	OSFA
Hat Size	6 1/2- 7 7/8
Head Size	20 3/8- 24 5/8

# SPEC SHEET + MEASUREMENTS

#### PORT AUTHORITY.

Port Authority <sup>®</sup> Flexfit 110 <sup>®</sup> Performance Snapback Cap. C301

### HOW TO MEASURE

#### **HATS**

Measure the circumference around the head, above the eyebrow and at the widest part of the head. Divide number by 3.14 for hat size.

## **COLORS**







Black PMS BLACK

Heather Grey PMS 7540C

Heather True Navy PMS 533C