



## Test Report

No.: T31820252196SC

Date: AUG 14, 2018

Page 1 of 6

BIC GRAPHIC  
14421 MYERLAKE CIRCLE  
CLEARWATER PINELLAS  
FL 33760 UNITED STATES

The following samples were submitted and identified on behalf of the client as:

KOOZIE® TWO-TONE TAILGATE ROLLING KOOLER

SGS Case No. : CA318202537759  
Item No. : 15658C  
Test Request Form No. : 2190\_HK  
Quantity Submitted : 3 PCS OF 3 STYLES  
Manufacturer Date : 2018  
Shipment Order No. : 7052714  
Country of Origin : CHINA  
Country of Destination : CANADA, UNITED STATES  
Sample Receiving Date : JUL 23, 2018  
Test Performing Date : JUL 23 - 27, 2018

Test Requested : Please refer to the result summary.

Test Method & Results : Please refer to next page(s).

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



# Test Report

No.: T31820252196SC

Date: AUG 14, 2018

Page 2 of 6

Result Summary :

Test Requested	Conclusion
1. US California Proposition 65 – Lead content	PASS
2. US California Proposition 65, CPSIA section 108 and US 16 CFR Part 1307 – Phthalates content	PASS
3. Canada Surface Coating Materials Regulations (SOR/2016-193) – Lead and Mercury Content	PASS
4. CPSIA section 101(f)(1), US 16 CFR 1303 and US California Proposition 65 (Superior Court of California – County of Alameda Case No. RG07356892) – Lead in paint/similar surface coating material	PASS

Conclusion	:	PASS	X
		FAIL	
		INCONCLUSIVE	

Signed for and on behalf of  
SGS Hong Kong Ltd.



Che Wai Leuk, Jerry  
Technical Manager

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

# Test Report

No.: T31820252196SC

Date: AUG 14, 2018

Page 3 of 6

Test Results :

## 1. US California Proposition 65 –Lead Content

Method (non-metallic materials): With reference to CPSC-CH-E1002-08.3 - Standard Operation Procedure for Determining Total Lead (Pb) in Non-Metal Children Product

Method (metal materials): With reference to CPSC-CH-E1001-08.3 - Standard Operating Procedure for Determining Total Lead (Pb) in Children's Metal Products (Including Children's Metal Jewelry)

Test Item(s)	Lead (Pb)
Specimen Description	Result(s) (ppm)
1. Silvery metal (Extender) (#2-15658C black metal extender)	ND
2. Silvery metal (Zipper pull) (#9-15658C black metal zipper pull)	22
3. Black plastic (Handle) (#1-15658C black plastic handle)	ND
4. Black fabric (Webbing handle) (#3-15658C black webbing polyester handle)	ND
5. Black plastic (Feet) (#4-15658C black plastic feet)	ND
6. Black fabric (Body) (#5-15658C black 600D polyester fabric)	ND
7. Royal fabric (Body) (#6-15658C royal 600D polyester fabric)	ND
8. Red fabric (Body) (#7-15658C red 600D polyester fabric)	ND
9. Grey fabric w/ grey soft plastic backing (Body) (#8-15658C grey 600D polyester fabric)	ND
10. Grey soft plastic (#10-15658C black polyester inner lining)	ND

- Note:
- ppm = parts per million
  - ND = Not Detected (lower than MDL)
  - MDL = Method Detection Limit =10 ppm
  - 1% = 10000mg/kg=10000ppm

**Remark: 1. Material information of the sample is provided by the client.**

**2.Summary of reference limit(s) of Lead requirement:**

Requirement(s)	Reference Limit of Lead (ppm)	
California Proposition 65 (County of Marin Case No. CIV 1104003)	Paint and surface coating	90
	All other materials	100

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**2. US California Proposition 65, CPSIA section 108 and US 16 CFR Part 1307 - Phthalates Content**

Method: With reference to CPSC-CH-C1001-09.3

Analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS)

Test Item(s)	CAS No.	Result(s) (ppm)	MDL (ppm)
Specimen No.	--	1 - 4	
Dibutyl Phthalate (DBP)	84-74-2	ND	30
Benzylbutyl Phthalate (BBP)	85-68-7	ND	30
Bis-(2-ethylhexyl) Phthalate (DEHP)	117-81-7	ND	30
Diisodecyl Phthalate (DIDP)	26761-40-0 / 68515-49-1	ND	100
Di-n-Hexyl phthalate (DHEXP / DnHP)	84-75-3	ND	30
Di-n-octyl Phthalate (DNOP)	117-84-0	ND	30
Diisononyl Phthalate (DINP)	28553-12-0 / 68515-48-0	ND	100
Diiso butyl phthalate (DIBP)	84-69-5	ND	30
Dipentyl phthalate (DnPP/ DPENP)	131-18-0	ND	30
Dicyclohexyl phthalate (DCHP)	84-61-7	ND	30

**Specimen Description:**

1. Black fabric (Body) (#5-15658C black 600D polyester fabric)
2. Royal fabric (Body) (#6-15658C royal 600D polyester fabric)
3. Red fabric (Body) (#7-15658C red 600D polyester fabric)
4. Grey fabric w/ grey soft plastic backing (Body) (#8-15658C grey 600D polyester fabric)

Note:

- ppm = parts per million
- MDL = Method Detection Limit
- ND = Not Detected (lower than MDL)

**Summary of Reference Limit of Requirement(s):**

Requirement(s)	Reference Limit
California Proposition 65 (ACSC Case No. BG07350969)	≤ 1000 ppm for each of DBP, BBP, DEHP, DIDP and DnHP
CPSIA section 108	≤ 1000 ppm for each of DEHP, DBP, BBP, DINP, DIDP, DNOP
US 16 CFR Part 1307	≤ 1000 ppm for each of DEHP, DBP, BBP, DINP, DCHP, DHEXP / DnHP, DIBP, DnPP/ DPENP

Remark: Material information of the sample is provided by the client.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**3. Canada Surface Coating Materials Regulations (SOR/2016-193) – Lead and Mercury Content**

With reference to Canada Health Product Safety Bureau, Reference Manual Book 5 – Laboratory Policies and Procedures, Part B: Test Methods Section, Method C-02.2:2017 and C-07:2017

Test Item(s)	Total	
	Pb	Hg
<b>Permissible Limit (mg/kg)</b>	90	10
<b>Specimen Description</b>	<b>Result(s) (mg/kg)</b>	
1. Dull black coating on metal (On extender) (#2-15658C black metal extender)	ND	ND
2. Black coating on metal (On zipper pull) (#9-15658C black metal zipper pull)	ND	ND

- Note:
- mg/kg = milligram per kilogram
  - ND = Not Detected (lower than MDL)
  - MDL = Method Detection Limit
  - MDL for Pb = 10 mg/kg
  - MDL for Hg = 10 mg/kg
  - 1% = 10000 mg/kg =10000 ppm

**4. CPSIA section 101(f)(1), US 16 CFR 1303 and US California Proposition 65 (Superior Court of California – County of Alameda Case No. RG07356892) – Lead in paint/similar surface coating material**

Method : CPSC Test Method: CPSC-CH-E1003-09.1 ‘Standard Operation Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings’

Test Item	Result (%)	Reporting Limit (%)	Permissible Limit (%)
	1 - 2		
Lead (Pb)	ND	0.002	0.009
Comment	PASS	--	--

Sample Description :

1. Dull black coating on metal (On extender) (#2-15658C black metal extender)
2. Black coating on metal (On zipper pull) (#9-15658C black metal zipper pull)

- Note:
- % = percentage by weight
  - 1% = 10000 mg/kg
  - ND = Not Detected

Remark: Material information of the sample is provided by the client.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company’s findings at the time of its intervention only and within the limits of Client’s instructions, if any. The Company’s sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Photo Appendix**



Sample as received

\*\*\* End of Report \*\*\*

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.